PARTS MANUAL



STAY-LEVEL HANDLEBAR SERIES MODELS

CS706016

CS706020

CS706026

CS706030

CS706036

PAVEMENT SAW (DEUTZ BF3L2011 DIESEL ENGINE)

Revision #7 (06/06/08)

To find the latest revision of this publication, visit our website at: www.multiquip.com



THIS MANUAL MUST ACCOMPANY THE EQUIPMENT AT ALL TIMES.



CALIFORNIA — Proposition 65 Warning

Engine exhaust and some of its constituents, and some dust created by power sanding, sawing, grinding, drilling and other construction activities contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm. Some examples of these chemicals are:

- Leadfrom lead-based paints.
- Crystalline silica from bricks.
- Cement and other masonry products.
- Arsenic and chromium from chemically treated lumber.

Your risk from these exposures varies, depending on how often you do this type of work. To reduce your exposure to these chemicals: <u>ALWAYS</u> work in a well ventilated area, and work with approved safety equipment, such as dust masks that are specially designed to filter out microscopic particles.

AWARNING



SILICOSIS WARNING

Grinding/cutting/drilling of masonry, concrete, metal and other materials with silica in their composition may give off dust or mists containing crystalline silica. Silica is a basic component of sand, quartz, brick clay, granite and numerous other minerals and rocks. Repeated and/or substantial inhalation of airborne crystalline silica can cause serious or fatal respiratory diseases, including silicosis. In addition, California and some other authorities have listed respirable crystalline silica as a substance known to cause cancer. When cutting such materials, always follow the respiratory precautions mentioned above.

AWARNING




RESPIRATORY HAZARDS

Grinding/cutting/drilling of masonry, concrete, metal and other materials can generate dust, mists and fumes containing chemicals known to cause serious or fatal injury or illness, such as respiratory disease, cancer, birth defects or other reproductive harm. If you are unfamiliar with the risks associated with the particular process and/or material being cut or the composition of the tool being used, review the material safety data sheet and/or consult your employer, the material manufacturer/supplier, governmental agencies such as OSHA and NIOSH and other sources on hazardous materials. California and some other authorities, for instance, have published lists of substances known to cause cancer, reproductive toxicity, or other harmful effects.

Control dust, mist and fumes at the source where possible. In this regard use good work practices and follow the recommendations of the manufacturers or suppliers, OSHA/NIOSH, and occupational and trade associations. Water should be used for dust suppression when wet cutting is feasible. When the hazards from inhalation of dust, mists and fumes cannot be eliminated, the operator and any bystanders should always wear a respirator approved by NIOSH/MSHA for the materials being used.

CS7060 SERIES SAWS

| Proposition 65 Warning | 2 |
|---|-------|
| Silicosis/Respiratory Warnings | |
| Table of Contents | |
| Parts Ordering Procedures | |
| Explanation of Code in Remarks Column | |
| Suggested Spare Parts | |
| Nameplates and Decals | |
| Control Panel Decals | |
| Electrical Control Assembly | |
| Console Mounts Assembly | |
| Rear Console Access Panel Assembly | |
| Light Connector/Dash Access Assembly | |
| Belt and Engine Guards Assembly | |
| Depth Indicator/Stop Switch Assy. (Old Style) | |
| Depth Indicator/Stop Switch Assy. (New Style) | |
| F-N-R Assembly | |
| Fuel Assembly | |
| Battery Assembly | |
| Stay-Level Handlebars Assembly | |
| Handlebar Boot Assembly | |
| Water System Assembly | |
| Engine Assembly | |
| Throttle Control Assembly | 40-41 |
| Engine Mounts Assembly | |
| Air Cleaner Assembly | |
| Muffler Assembly | 46-47 |
| Lift Bail Assembly | 48-49 |
| Platform Guards/Rear Pointer Assembly | 50-51 |
| Wheel Drive Assembly | 52-53 |
| Front Axle Assembly | 54-55 |
| Hydraulic System Assembly | |
| Engine Pivot Cylinder Assembly | 58-59 |
| Hydraulic Hoses Assembly | |
| Hydraulic Fttings and Clamps Assembly | 62-63 |
| Front Pointer Assembly | 64-65 |
| Belt Drive Assembly | 66-69 |
| Drive Pulley Assembly | 70-71 |
| Bladeshaft Assembly | 72-73 |
| 16", 20", 26" Bladeguard Assembly | 74-75 |
| 30", 36" Bladeguard Assembly | |
| Optional Weight Kit Assembly | |
| Terms and Conditions of Sale — Parts | 80 |



Specifications are subject to change without notice.

PARTS ORDERING PROCEDURES

When ordering parts, please supply the following information:

- Dealer account number
- Dealer name and address
- ☐ Shipping address (if different than billing address)
- □ Return fax number
- ☐ Applicable model number
- Quantity, part number and description of each part
- Specify preferred method of shipment:
 - ✓ FedEx or UPS Ground
 - ✓ FedEx or UPS Second Day or Third Day
 - ✓ FedEx or UPS Next Day
 - ✓ Federal Express Priority One
 - ✓ DHL
 - ✓ Truck

Note: Unless otherwise indicated by customer, all orders are treated as "Standard Orders", and will ship within 24 hours. We will make every effort to ship "Air Shipments" the same day that the order is received, if prior to 2PM west coast time. "Stock Orders" must be so noted on fax or web forms.



Here's how to get help...

Please have the model and serial number on hand when calling.

STOW MAIN OFFICE

18910 Wilmington Ave. 800-421-1244 Carson, CA 90746 *FAX:* 310-537-3927

Email: stow@stowmfg.com Internet: www.stowmfg.com

SALES DEPARTMENT

310-661-4242 Fax: 310-604-9237

877-289-7869 (877-BUY-STOW)

PARTS DEPARTMENT

SERVICE DEPARTMENT

800-478-1244 *FAX:* 310-537-4259 310-537-3700

TECHNICAL ASSISTANCE

800-478-1244 *FAX*: 310-631-5032

WARRANTY DEPARTMENT

800-421-1244, *EXT.* 279 *FAX:* 310-537-1173

310-537-3700, EXT. 279

Place Your Parts Order Via Web or Fax For Even More Savings!

(Domestic USA Dealers Only)

Extra Discounts!

All parts orders which include complete part numbers and are received by our automated web parts order system, or by fax qualify for the following extra discounts:

| Ordered via | Standard orders | Stock orders (\$750 list and above) |
|----------------|--------------------|--|
| via | Olucis | (\$750 list and above) |
| Fax | 3% | 10% |
| Web | 5% | 10% |

Special freight allowances when you order 10 or more line items via Web or Fax! **

FedEx Ground Service *at no charge for freight*No other allowances on freight shipped by any other carrier.

**Common nuts, bolts and washers (all items under \$1.00 list price) do not count towards the 10+ line items.

NOTE: DISCOUNTS ARE SUBJECT TO CHANGE

STOW

STOW CONSTRUCTION EQUIPMENT

A DIVISION OF MULTIQUIP INC.

POST OFFICE BOX 6254 888-252-STOW [888-252-7869] FAX: 310-537-1986 CARSON, CA 90749 310-537-3700 FAX: 800-556-1986

E-MAIL: stow@multiquip.com INTERNET: www.stowmfg.com

Direct TOLL-FREE access to our Parts Department:

Toll-free nationwide — 800-427-1244
Toll-free FAX — 800-6-PARTS-7 (800/672-7877)

EXPLANATION OF CODE IN REMARKS COLUMN

The following section explains the different symbols and remarks used in the Parts section of this manual. Use the help numbers found on the back page of the manual if there are any questions.

The contents and part numbers listed in the parts section are subject to change *without notice*. Multiquip does not guarantee the availibility of the parts listed.

Sample Parts List:

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|-----------------|------|-----------------------|
| 1 | 12345 | BOLT | 1 | . INCLUDES ITEMS W/* |
| 2* | | WASHER, 1/4 IN. | | . NOT SOLD SEPARATELY |
| 2* | 12347 | WASHER, 3/8 IN. | 1 | . MQ-45T ONLY |
| 3 | 12348 | HOSE | A/R | . MAKE LOCALLY |
| 4 | 12349 | BEARING | 1 | . S/N 2345B AND ABOVE |

NO. Column

Unique Symbols - All items with same unique symbol (*, #, +, %, or >) in the number column belong to the same assembly or kit, which is indicated by a note in the "Remarks" column.

Duplicate Item Numbers - Duplicate numbers indicate multiple part numbers are in effect for the same general item, such as different size saw blade guards in use or a part that has been updated on newer versions of the same machine.



When ordering a part that has more than one item number listed, check the remarks column for help in determining the proper part to order.

PART NO. Column

Numbers Used - Part numbers can be indicated by a number, a blank entry, or TBD.

TBD (To Be Determined) is generally used to show a part that has not been assigned a formal part number at time of publication.

A blank entry generally indicates that the item is not sold separately or is not sold by Multiquip. Other entries will be clarified in the "Remarks" Column.

QTY. Column

Numbers Used - Item quantity can be indicated by a number, a blank entry, or A/R.

A/R (As Required) is generally used for hoses or other parts that are sold in bulk and cut to length.

A blank entry generally indicates that the item is not sold separately. Other entries will be clarified in the "Remarks" Column.

REMARKS Column

Some of the most common notes found in the "Remarks" Column are listed below. Other additional notes needed to describe the item can also be shown.

Assembly/Kit - All items on the parts list with the same unique symbol will be included when this item is purchased. Indicated by:

"INCLUDES ITEMS W/(unique symbol)"

Serial Number Break - Used to list an effective serial number range where a particular part is used.

Indicated by:

"S/N XXXXX AND BELOW"

"S/N XXXX AND ABOVE"

"S/N XXXX TO S/N XXX"

Specific Model Number Use - Indicates that the part is used only with the specific model number or model number variant listed. It can also be used to show a part is NOT used on a specific model or model number variant.

Indicated by:

"XXXXX ONLY"

"NOT USED ON XXXX"

"Make/Obtain Locally" - Indicates that the part can be purchased at any hardware shop or made out of available items. Examples include battery cables, shims, and certain washers and nuts.

"Not Sold Separately" - Indicates that an item cannot be purchased as a separate item and is either part of an assembly/kit that can be purchased, or is not available for sale through Multiquip.

SUGGESTED SPARE PARTS

SS7060 SANDERS SAW

1 TO 3 UNITS WITH DEUTZ TURBO DIESEL ENGINE

| Qty. | P/N | <u>Description</u> |
|------|----------|------------------------------|
| | | . SWITCH, TOGGLE F-N-R |
| | | . SWITCH, ROLLER PLUNGER |
| 2 | . 406000 | . SWITCH, ROCKER |
| | | . FRONT WHEEL ASSEMBLY |
| 2 | . 37095 | . REAR WHEEL |
| 1 | . 29509 | . CAP, FUEL TANK |
| 2 | . 560017 | . GRIPS, HANDLEBAR |
| 1 | . H9406 | . BULB, GE H9406 |
| 1 | . 15503 | . KNOB, COMFORT |
| | | . BALL VALVE, WATER SYSTEM |
| | | . CLAMP, MUFFLER |
| 2 | . 37048 | . SPRING, WHEEL DRIVE |
| | . 582012 | |
| 2 | . 915316 | . SCREW, 5/8 - 11 X 3 LH GR8 |
| | | . SCREW, 5/8 - 11 X 3 GR8 |
| | . 574003 | |
| | | . THROTTLE ASSEMBLY |
| | | . MUDFLAP, BLADEGUARD |
| | | |

FOR SAWS WITH 16", 20", AND 26" BLADEGUARDS

| 2 | 37168 | FLANGE, INNER 5.0" |
|---|--------|-----------------------------------|
| 2 | 37169 | FLANGE ASSEMBLY, OUTER 5.0" |
| 2 | 926790 | PIN, DOWEL |
| | | HOSE, WATER #6LP (16" BLADEGUARD) |
| 2 | 362005 | HOSE, WATER #6LP (20" BLADEGUARD) |
| | | HOSE, WATER #6LP (26" BLADEGUARD) |

FOR SAWS WITH 30" AND 36" BLADEGUARDS

| 2 | 37177 | FLANGE, INNER 6.0" |
|---|--------|-----------------------------------|
| | | FLANGE ASSEMBLY, OUTER 6.0" |
| | 926790 | |
| 2 | 362007 | HOSE, WATER #6LP (30" BLADEGUARD) |
| | | HOSE, WATER #6LP (36" BLADEGUARD) |




Part numbers on this Suggested Spare Parts List may supercede/replace the P/N's shown in the test pages of this manual.

ENGINE PARTS FOR DEUTZ TURBO DIESEL ENGINE

| 2 1174416 | OIL FILTER, DEUTZ BF3L2012 |
|-------------|-----------------------------------|
| 2 304010 | FUEL FILTER, DEUTZ BF3L2011 |
| 2 P772579 | . PRIMARY AIR FILTER ELEMENT |
| 2 P775300 | SAFETY AIR FILTER, DEUTZ BF3L2014 |
| 2 21004-003 | . FAN BELT, AX-35 |
| 2 520007 | DRIVE BELT, 5G 3VX-530 |
| 1 406017 | . IGNITION SWITCH, W/KEY |
| 2 406017-1 | . KEY, IGNITION |
| 2 306006 | . FILTER, TRANSMISSION |
| | |

NAMEPLATES AND DECALS

NAMEPLATES AND DECALS




NAMEPLATES AND DECALS

NAMEPLATES AND DECALS

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|-----------|---|------|---------------------|
| 1 | 37362 | DECAL, STAY LEVEL HANDLE WHITE | | |
| 2 | 20936 | DECAL, MQ MULTIQUIP 5.93 X 7.45 | 3 | |
| 3 | 37365 | DECAL, MQ PS7060 | 2 | |
| 4 | | SERIAL TAG | 1 | CONTACT PARTS DEPT. |
| 5 | M600002 | DECAL, DIESEL FUEL ONLY | 1 | |
| 7 | 37161 | DECAL, HOT ISO HI-TEMPERATURE | 1 | SAFETY ITEM |
| 8 | 13118 | DECAL, POWDER COATED | 1 | |
| 9 | 20525 | DECAL, WARNING "PROP 65" 3.25 X 4.25 DECAL, WARNING DIESEL FUEL 3.5 X 1.75 | 1 | SAFETY ITEM |
| 10 | 36092 | DECAL, WARNING DIESEL FUEL 3.5 X 1.75 | 1 | SAFETY ITEM |
| 11 | 36090 | DECAL, WARNING VENTILATION 2 X 4 | 1 | SAFETY ITEM |
| 12 | 11912 | DECAL, PATENT PENDING | 1 | |
| 13 | 25282 | DECAL, ATTENTION BATTERY DISCONNECTE DECAL, WARNING READ MANUAL | D 1 | |
| 14 | 35137 | | | |
| 15 | 36099 | DECAL, PROTECTIVE CLOTHING ISO BLUE | 1 | SAFETY ITEM |
| 16 | 37540 | DECAL, HYDRAULIC RESERVOIR | | |
| 17 | 21302 | DECAL, WARNING KEEP GUARDS IN PLACE | 2 | SAFETY ITEM |
| 18 | 22122-001 | DECAL, WARNING RX-W | 2 | SAFETY ITEM |
| 19 | 25249-001 | DECAL, WARNING KEEP HANDS CLEAR | | |
| 20 | 25250-001 | DECAL, WARNING KEEP FEET CLEAR | | |
| 21 | 25678 | DECAL, BLADE ROTATION CCW | 1 | SAFETY ITEM |
| 22 | 23330-001 | DECAL, CAUTION BELT DRIVE | 2 | |
| 23 | 606004 | DECAL, GUARD REMOVAL | 2 | SAFETY ITEM |
| 24 | 25491 | DECAL, BLADE ROTATION CW | 1 | |
| 25 | 11092 | DECAL, CE | 1 | |

CONTROL PANEL DECALS




CONTROL PANEL DECALS

CONTROL PANEL DECALS

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|--------------------------------------|------|----------------|
| 1 | 37361 | DECAL, MAINTENANCE, 7000 SERIES | 1 | |
| 2 | 37354 | DECAL, INSTRUMENT PANEL, 7000 SERIES | 1 | |
| 3 | 37353 | DECAL, OPERATION CONSOLE PANEL | 1 | |

ELECTRICAL CONTROL ASSY.




ELECTRICAL CONTROL ASSY.

ELECTRICAL CONTROL ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|--------------------------------------|------|----------------------|
| 1 | 406000 | SWITCH, ROCKER CH# M-58031-01 | 2 | |
| 2 | 406017 | IGNITION SWITCH, WITH KEYS | 1 | . INCLUDES ITEMS W/* |
| 3 | 37198 | EMERGENCY STOP SWITCH | 1 | . SAFETY ITEM |
| 4 | 37094 | SWITCH, TOGGLE SPDT MOMENTARY ON-ON | 1 | |
| 5 | 37203 | SWITCH, SNAP ACTION ROLLER PLUNGER | 1 | |
| 6 | 37490 | HARNESS, RELAYS AND CIRCUIT BREAKERS | 1 | |
| 7 | 406021 | INDICATOR, ENGINE | 1 | |
| 8 | 37243 | SWITCH, ROLLER ARM | 1 | |
| 9 | 933240 | WASHER, FLAT SAE 1/4 GRD 9 YZ | 3 | |
| 10 | 405000 | CONNECTOR, 4-WAY SOCKET | 1 | |
| 11 | 37368 | TACHOMETER, ELECTRIC 0-3000 RPM | 1 | |
| 12 | 8381 | BOOT, TOGGLE SWITCH | 1 | |
| 13 | 406020 | BLANK, ROCKER SWITCH | 2 | |
| 14 | 973752 | SCREW, BHHC 1/4 - 20 X 5/8 SS | 3 | |
| 15 | 37325 | SCREW, SHC M5 - 0.8 X 30MM | 2 | |
| 16 | 37324 | NUT, NYLOC M5 - 0.8 | 2 | |
| 17 | 28922-058 | WASHER, M5 | 2 | |
| 18* | 406017-1 | KEY, IGNITION | 1 | |
| 19 | 25628 | SOLENOID, LIFT PUMP | 1 | |

CONSOLE MOUNTS ASSY.




CONSOLE MOUNTS ASSY.

CONSOLE MOUNTS ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|--|------|----------------|
| 1 | 20742 | ISOLATOR, RB2 RING/BUSHING | 4 | |
| 2 | 20743 | WASHER, ISO SNUB KROFUND DYN 148099-18 | 4 | |
| 3 | 575001 | RUBBER ISOLATOR, TPC# 60166-1 | 4 | |
| 4 | 37231-353 | MOUNT, ISOLATOR FRONT | 2 | |
| 5 | 37233-353 | MOUNT, ISOLATOR SIDE | 2 | |
| 6 | 37227-353 | MOUNT, CONSOLE ISOLATOR FRONT | 2 | |
| 7 | 12832 | WASHER, SNUBBING | 4 | |
| 8 | 06503-026 | SCREW, HHC 1/2 - 13 X 3-1/4 | 4 | |
| 9 | 1665 | SCREW, HHC 3/8 - 16 X 2 | 4 | |
| 10 | 37116-353 | CONSOLE W/A | 1 | |
| 11 | 933242 | WASHER, FLAT SAE 3/9 GRD 9 Y | 8 | |
| 12 | 0205 | SCREW, HHC 3/8-16 X 1 | 8 | |
| 13 | TBD | SCREW | 4 | |
| 14 | TBD | WASHER | 4 | |

REAR CONSOLE ACCESS PANEL ASSY.




REAR CONSOLE ACCESS PANEL ASSY.

REAR CONSOLE ACCESS PANEL ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|------------|-----------|----------------------------------|------|--------------------|
| 1* | 10024 | NUT, NYLOC 1/4 X 20 | 4 | |
| 2* | 10930 | WASHER, FENDER 1/4 X 1-1/4 | 4 | |
| 3* | 12287 | SCREW, THP 1/4 - 20 X 3/4 SS | 4 | |
| 4* | 29057 | DOCUMENT BOX | 1 | |
| 5 | 37219 | STRIP, BACKING PLATE SAW CONSOLE | 1 | |
| 6 | 37220 | STRIP, VERTICAL SAW CONSOLE | 2 | |
| 7 * | 37254-353 | PANEL, REAR SAW ACCESS | 1 | |
| 8* | 560020 | LATCH, REAR SAW ACCESS PANEL | 2 | |
| 9 | 37253 | PANEL ASSEMBLY, REAR SAW ACCESS | 1 | INCLUDES ITEMS W/* |

LIGHT CONNECTOR/DASH ACCESS ASSY.

LIGHT CONNECTOR/DASH ACCESS ASSY.




LIGHT CONNECTOR/DASH ACCESS ASSY.

LIGHT CONNECTOR/DASH ACCESS ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|------|-----------|-------------------------------------|------|--------------------|
| 1 | 0655 | SCREW, HHC 5/16 - 18 X 3/4 | 8 | |
| 2* | 12171 | SEAL, WEATHERPACK 16-18 GA, GREEN | 2 | |
| 3* | 12176 | CONNECTOR, WEATHERPACK 2 PIN MALE | 1 | |
| 4* | 12179 | TERMINAL, WEATHERPACK MALE 14-16 GA | 2 | |
| 5 | 13287 | NUT, NYLOC 8-32 | 2 | |
| 6 | 25865 | HARNESS, LIGHT KIT | 1 | INCLUDES ITEMS W/* |
| 7 | 37234-353 | COVER W/A, CONSOLE DASH ACCESS | 1 | |
| 8 | 923114 | SCREW, SHC 8-32 X 1/2 | 2 | |
| 9 | 933241 | WASHER, FLAT SAE 5/16 GRD 9YZ | 8 | |
| 10* | 405000 | CONNECTOR, 4-WAY SOCKET CHROME | 1 | |
| 11+# | 0161 C | WASHER, LOCK 5/16 MED | 2 | |
| 12+# | 0161 D | NUT, HEX 5/16 - 18 | 2 | |
| 13+# | 0300 A | SCREW, HHC 5/16 - 18 X 2 | 1 | |
| 14+ | 2532 | LIGHT ASSEMBLY | 1 | INCLUDES ITEMS W/# |
| 15+ | 15503 | KNOB, COMFORT GRIP STAR | 1 | |
| 16+ | 120206 | LIGHT BAR | 1 | |
| 17+ | 405001 | CONNECTOR PLUG, 4-PIN FEMALE | 1 | |
| 18+ | 405002 | CORD, LIGHT EXTENDABLE | 1 | |
| 19+# | H9406 | BULB, GE H9406 | 1 | |
| 20 | M18004 | LIGHT KIT, SAW | 1 | INCLUDES ITEMS W/+ |
| 21# | 11963 | BOLT, CARRIAGE 5/16 - 18 X 1 | 1 | |

BELT AND ENGINE GUARDS ASSY.




BELT AND ENGINE GUARDS ASSY.

BELT AND ENGINE GUARDS ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|--------------------------------|------|----------------|
| 1 | 0166 | SCREW, HHC 3/8 - 16 X 7/8 | 5 | |
| 3 | 15503 | KNOB, COMFORT | 1 | |
| 4 | 37202-353 | GUARD, BELT DRIVE | 1 | SAFETY ITEM |
| 5 | 37209-353 | GUARD, ENGINE | 1 | SAFETY ITEM |
| 8 | 584011 | WRENCH, 15/16 BLADE CLOSED END | 1 | |
| 9 | 933242 | WASHER, FLAT SAE 3/8 GRD 9 YZ | 5 | |

DEPTH INDICATOR/STOP SWITCH ASSY. (OLD STYLE)

DEPTH INDICATOR/STOP SWITCH ASSY. (OLD STYLE)



DEPTH INDICATOR/STOP SWITCH ASSY. (OLD STYLE)

DEPTH INDICATOR/STOP SWITCH ASSY. (OLD STYLE)


| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|---|------|---------|
| 1 | 10024 | NUT, NYLOC 1/4 - 20 | 2 | |
| 2 | 37155 | PULLEY, CABLE .75 OD | 1 | |
| 3 | 37235 | BASE, SAW DEPTH INDICATOR | 1 | |
| 4 | 37240 | PULLEY, CABLE .75 OD | 2 | |
| 5 | 37241 | SHAFT, DEPTH INDICATOR | 1 | |
| 6 | 37332 | RING, 3/16 E-STYLE EXTERNAL | 2 | |
| 7 | 37401 | SCREW, SH SHLDR 1/2-20, 5/16 OD X 1/4 L | 1 | |
| 8 | 37504 | CABLE, NYLON COAT SS .049 | 1 | |
| 9 | 110031 | POINTER, CONCRETE SAW DEPTH | 1 | |
| 10 | 460019 | FLANGE, BEARING 0.25 ID X 0.75 OD | 1 | |
| 11 | 560025 | KNOB, SAW DEPTH INDICATOR | 1 | |
| 12 | 565005 | SPRING, EXTENSION | 1 | |
| 13 | 583059 | SHIM, 0.375 OD X 0.25 ID X .020 THK | 5 | |
| 14 | 584025 | STUD, 1/4 - 20 X 1-3/4 NO PLT | 1 | |
| 15 | 933240 | WASHER, FLAT SAE 1/4 GRD 9 YZ | 1 | |
| 16 | 973752 | SCREW, BHSC 1/4 - 20 X 5/8 SS | 2 | |
| 17 | 37248 | MOUNT, SWITCH PIVOT PLATE | 1 | |
| 18 | 37246 | NUT, SWIVEL DEPTH STOP | 1 | |
| 19 | 37247 | KNOB, DEPTH STOP CONTROL | 1 | |
| 20 | 37249 | COLLAR, SHAFT THREADED 3/8 - 16 | 1 | |
| 21 | 37250 | WASHER, BELLEVIEW .317 X .625 | 2 | |
| 22 | 19470 | WASHER, FLAT 5/16 USS | 2 | |
| 23 | 933242 | WASHER, FLAT SAE 3/8 GRD 9 YZ | 1 | |
| 24 | 5283 | NUT, NYLOC 5/16 - 18 | 2 | |
| 25 | 10133 | NUT, NYLOC 3/8 - 16 | 1 | |
| 26 | 37251 | WASHER, BELLEVIEW .389 X .750 | 2 | |
| 27 | 37375 | STUD, 3/8 - 16 X 4 | 1 | |
| 28 | 4001 | WASHER, FLAT USS 3/8 PLD | 3 | |



PARTS ON THIS PAGE ARE NO LONGER AVAILABLE. SEE DEPTH INDICATOR/ STOP SWITCH ASSY. (NEW STYLE)

DEPTH INDICATOR/STOP SWITCH ASSY. (NEW STYLE)

DEPTH INDICATOR/STOP SWITCH ASSY. (NEW STYLE)




DEPTH INDICATOR/STOP SWITCH ASSY. (NEW STYLE)

DEPTH INDICATOR/STOP SWITCH ASSY. (NEW STYLE)

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|--|------|----------------|
| 1 | 37544 | SHAFT, DEPTH INDICATOR | 1 | |
| 2 | 37545 | BUSHING, FLANGED | 2 | |
| 3 | 37547 | SHAFT, IDLER PULLEY | 2 | |
| 4 | 37548 | PULLEY, IDLER | 2 | |
| 5 | 110031 | POINTER, CONCRETE SAW DEPTH | 1 | |
| 6 | 560025 | KNOB, SAW DEPTH INDICATOR | 1 | |
| 7 | 37549 | PULLEY, DUAL GROOVE | 1 | |
| 8 | 37550 | BELT, INDICATOR DRIVE | 1 | |
| 9 | 0948 | WASHER, FLAT SAE 1/4 | 3 | |
| 10 | 37332 | RING, 3/16 E-STYLE EXTERNAL | 6 | |
| 11 | 926149 | SCREW, SHDLR 1/4D X 5/16L, 10-24 SCKT HD | 1 | |
| 12 | 37162 | SPRING, EXTENSION | 1 | |
| 13 | 973752 | SCREW, BHSC 1/4 - 20 X 5/8 SS | 2 | |
| 14 | 37551 | HOUSING, DEPTH INDICATOR | 1 | |
| 15 | 37557 | BRACKET, CABLE INDICATOR | 1 | |
| 16 | 2295 | SCREW, HHC 1/4 - 20 X 7/8 | 1 | |
| 17 | 10024 | NUT, NYLOC 1/4 - 20 | 2 | |
| 18 | 37401 | SCREW, SH SHLDR 1/2-20, 5/16 OD X 1/4 L | 1 | |
| 19 | 37679 | RING, SNAP SH 87 | 2 | |
| 20 | 37678 | CABLE ASSY., DEPTH INDICATOR | 1 | |


F-N-R ASSY.



F-N-R ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|------------|-----------|--------------------------------|------|--------------------|
| 1* | 576003 | SNAP RING - HO-185 | 1 | |
| 2* | 460021 | BEARING, ROLLER # 6204 2RS | 2 | |
| 3* | 20842 | SCREW, PAN HD 6-32 X 1/4 | 4 | |
| 4 * | 579072 | GROMMET, 1/2" ID | 1 | |
| 5* | 926917 | PIN, DOWEL 1/4 X 1/2 | 2 | |
| 6* | 37015 | SPACER, FNR PIVOT | 1 | |
| 7 * | 37014 | DISC, FNR FRICTION BRAKE | 1 | |
| 8* | 37013 | PLATE, FNR ACCESS COVER | 1 | |
| 9* | 37022 | WELDMENT, FNR HANDLE | 1 | |
| 10* | 37016 | PLATE, FNR BRAKE | 1 | |
| 11* | 37091 | SPRING, SMALLEY WAVO RW-0250 | 1 | |
| 12* | 37024 | WELDMENT, FNR SPRING PLATE | 1 | |
| 13* | 37025 | NUT, HEX FINISH M20-2.5 | 2 | |
| 14* | 37026 | SCREW, HHC M20 X 2.5 X 120 | 1 | |
| 15 | 37021 | FNR ASSEMBLY | 1 | INCLUDES ITEMS W/* |
| 16 | 2153 | ROD END | 2 | |
| 17 | 37136 | CABLE, PUSH PULL 56" | 1 | |
| 18 | 37299 | STANDOFF, PUMP CONTROL | 1 | |
| 19 | 07469-004 | SCREW, SHC 10-32 X 1/2 | 1 | |
| 20 | 4683 | SCREW, HHC 5/16 - 18 X 5/8 | 1 | |
| 21 | 933241 | WASHER, FLAT SAE 5/16 GRD 9 YZ | 1 | |
| 22 | 2203 | WASHER, FLAT #10 | 1 | |
| 23 | 10019 | NUT, NYLOC 10-32 | 1 | |
| 24 | 3513 | SCREW, HHC 10 - 32 X 1 | 1 | |

FUEL ASSY.




FUEL ASSY.

FUEL ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|-----------|-------------------------------|------|-------------------------|
| 1 | 0205 | SCREW, HHC 3/8 - 16 X 1.0 | 5 | |
| 2 | 19473 | CLAMP, WORM HOSE 2" | 8 | S/N ZC3700225 AND BELOW |
| 3 | 19633 | BUSHING, RUBBER FUEL DAPCO | 4 | |
| 4 | 35022 | CLAMP, LOOP CUSHIONED #8 | 1 | |
| 5 | 29338 | PRIMER BULB 5/16 HOSE BARB | 1 | S/N ZC3700225 AND BELOW |
| 6 | 29509 | CAP, FUEL TANK | 1 | |
| 7 | 37128 | BALL VALVE, 90 W/SCREEN #5 | 1 | S/N ZC3700225 AND BELOW |
| 8 | 37191 | FUELTANK | 1 | |
| 9 | 37195-353 | MOUNT, FUEL TANK | 1 | |
| 10 | 37809 | FILTER, FUEL DEUTZ IN-LINE | 1 | S/N ZC3700225 AND BELOW |
| 11 | 368006 | FITTING, FUEL 90 DEG | 3 | |
| 12 | 933242 | WASHER, FLAT SAE 3/8 GRD 9 YZ | 5 | |
| 13 | 60058 | HOSE, 1/4 X 3/8 PVC YELLOW | 1.2 | SOLD BY FOOT |
| 14 | 2111897 | HAND PUMP, INTEGRATED | 1 | S/N ZC3700226 AND ABOVE |
| 15 | 1287773 | O-RING SEAL | 1 | S/N ZC3700226 AND ABOVE |





↑ TO ENGINE STARTER MOTOR

LIFT PUMP SOLENOID (RELAY).
SEE ELECTRICAL CONTROL ASSY.


A LIFT PUMP.
SEE HYDRAULIC SYSTEM ASSY.

BATTERY ASSY.

BATTERY ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|--|------|----------------|
| 1 | 0166 | SCREW, HHC 3/8 - 16 X 7/8 | 1 | |
| 2 | 0655 | SCREW, HHC 5/16 - 18 X 3/4 | 4 | |
| 3 | 37088 | BOX, BATTERY | 1 | |
| 4 | 37098 | RETAINER, BATTERY HOLD-DOWN | 1 | |
| 5 | 37258-353 | CLIP, BATTERY RETAINER | 1 | |
| 6 | 37284 | SCREW, HHC M14 - 2.0 X 20MM GRD 8.8 PLTD | 1 | |
| 7 | 37326 | CABLE, POSITIVE BATTERY STARTER | 1 | |
| 8 | 37327 | CABLE, POSITIVE BATT. SOLENOID LIFT PUMF | P 1 | |
| 9 | 37328 | CABLE, NEGATIVE BATTERY ENGINE | 1 | |
| 10 | 37329 | CABLE, NEGATIVE BATTERY LIFT PUMP | 1 | |
| 11 | 37355 | CABLE, POSITIVE BATT. SOLENOID LIFT PUMF | P 1 | |
| 12 | 404006 | BATTERY, EXIDE ORB75DT-84 | 1 | |
| 13 | 915101 | SCREW, HHC 3/8 - 16 X 1/2 GRD 8 | 2 | |
| 14 | 933241 | WASHER, FLAT SAE 5/16 GRD 9 YZ | 4 | |
| 15 | 933245 | WASHER, FLAT SAE 9/16 GRD 9 YZ | 1 | |

STAY-LEVEL HANDLEBARS ASSY.




STAY-LEVEL HANDLEBARS ASSY.

STAY-LEVEL HANDLEBARS ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|--|------|--------------------|
| 1 | 37085 | BEARING, 1.25" TAP BASE | 1 | |
| 2 | 37239 | SHAFT, CROSSDRIVE SLH | 1 | |
| 3 | 37119 | RECEIVER, SLH HANDLEBAR LH | 1 | |
| 4 | 37120 | RECEIVER, SLH HANDLEBAR RH | 1 | |
| 5 | 37125 | BEARING, PLAIN 1.0625 ULTRASERT UC200 | 2 | |
| 6 | 560023 | HANDLEBAR ASSY., CONCRETE SAW | | |
| 7 | 37174 | LINK ASSY., SLH CONTROL COUPLER | 1 | INCLUDES ITEMS W/# |
| 8 | 37139 | SLH CONTROL LEVER | 1 | |
| 9 | 16523 | SCREW, HHC 3/4 - 10 X 1-1/2 GD 8 | 3 | |
| 10 | 933245 | WASHER, FLAT SAE 9/16 GRD 9 YZ | 4 | |
| 11 | 933247 | WASHER, FLAT SAE 3/4 GRD 9 YZ | 3 | |
| 12 | 37284 | SCREW, HHC M14-2.0 X 20MM GRD 8.8 PLTD | 4 | |
| 13 | 37312 | RING, RETAINING WHM-106 | 2 | |
| 14 | 19977 | KNOB, CLAMP 1/2 - 13 THREAD | 2 | |
| 15# | 37123 | LINK, SLH CONTROL COUPLER LOWER | 1 | |
| 16# | 37173 | LINK, SLH CONTROL COUPLER UPPER | 1 | |
| 17# | 37297 | PLATE, SLH CLAMP | 1 | |
| 18# | 16526 | SCREW, HHC 1/2 - 13 X 1-3/4 GRD 8 | 2 | |
| 19 | 4196 | SCREW, HHC 3/8 - 16 X .75 | 2 | |
| 20# | 933244 | WASHER, FLAT SAE 1/2 GRD 9 YZ | 2 | |
| 21 | 4001 | WASHER, FLAT USS 3/8 PLD | 2 | |
| 22 | 37133 | PIN, SLH COUPLER PIVOT | 2 | |
| 23* | 560017 | GRIP, HANDLEBAR | 2 | |

HANDLEBAR BOOT ASSY.




HANDLEBAR BOOT ASSY.

HANDLEBAR BOOT ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|----------|--------------------------|------|--------------------|
| 1 | 37117 | BOOT ASSY., HANDLEBAR | 1 | INCLUDES ITEMS W/* |
| 2* | 37105 | BOOT, SLH HANDLEBAR | 1 | |
| 3* | 37061 | PLATE, RETAINER | 1 | |
| 4* | 5065 B | SCREW, PHP 10 - 32 X 1/2 | 6 | |

WATER SYSTEM ASSY.




WATER SYSTEM ASSY.

WATER SYSTEM ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|--|-------|----------------|
| 1 | 25827 | FITTING, BRASS (F) 3/4 GHT SWIVEL 1/2 MN | NPT 1 | |
| 2 | 37813 | FITTING, 90 1/2MP - 3/8FP | 2 | |
| 3 | 37311 | BALL VALVE, BRASS 3/8 MNPT X FNPT | 2 | |
| 4 | 37533 | HOSE ASSEMBLY, WATER SYSTEM 76.5" | 1 | |
| 5 | 37397 | FITTING, 8MJ X 1/2 MP | 1 | |
| 6 | 37532 | FITTING, QC FEMALE | 1 | |
| 7 | 37296 | HOSE ASSEMBLY, CROSSOVER | 1 | |

ENGINE ASSY.




ENGINE ASSY.

ENGINE ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|--------------------------------------|------|-----------------|
| 1 | 35396 | ENGINE, DEUTZ 60HP BF3L2011 TRBO DSL | 1 | |
| 2 | 2299 | SCREW, HHC M8 - 1.25 X 16MM | 2 | |
| 3 | 933241 | WASHER, FLAT SAE 5/16 GRD 9 YZ | 2 | |
| 4 | 10024 | NUT, NYLOC 1/4 X 20 | 2 | |
| 5 | 933240 | WASHER, FLAT SAE 1/4 GR 9 YZ | 2 | |
| 6 | 915004 | SCREW, HHC 1/4 - 20 X 7/8 | 2 | |
| 7 | 37473 | HEAT SHIELD | 1 | SAFETY ITEM |
| 8 | 37255 | THROTTLE LEVER | 1 | |
| 9 | 1174696 | FILTER, FUEL DEUTZ | 1 | REPLACES 304010 |
| 10 | 1174416 | FILTER, OIL DEUTZ | 1 | REPLACES 306012 |
| 11 | 21004-003 | V-BELT, AX-35 | 1 | |
| 12 | 37256 | BRACKET, THROTTLE/FNR CABLE | 1 | |


THROTTLE CONTROL ASSY.



THROTTLE CONTROL ASSY.

THROTTLE CONTROL ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|-------------------------------|------|----------------|
| 1 | 37212 | THROTTLE | 1 | |
| 2 | 37256 | BRACKET, THROTTLE/FNR CABLE | 1 | |
| 3 | 37255 | LEVER, THROTTLE | 1 | |
| 4 | 933240 | WASHER, FLAT SAE 1/4 GRD 9 YZ | 1 | |
| 5 | 25624 | SWIVEL, CABLE END W/ WASHER | 1 | |
| 6 | 923113 | SCREW, SHC 8 - 32 X 3/8 GRD 8 | 1 | |
| 7 | 23942-097 | WASHER, M6 | 2 | |
| 8 | 12464 | SCREW, HHC M6 - 1.0 X 16MM | 2 | |
| 9 | 25634 | BULK HEAD ADAPTOR | 1 | |




ENGINE MOUNTS ASSY.

ENGINE MOUNTS ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|---------------------------------------|------|----------------|
| 1 | 37491 | MOUNT, RH ENGINE | 1 | |
| 2 | 37100 | MOUNT, LH ENGINE | 1 | |
| 3 | 37099 | PIN, ENGINE PIVOT | 2 | |
| 4 | 37031 | BUSHING, SPHERICAL-ULTRASERT UC200 | 2 | |
| 5 | 37147 | PIN, UPPER ENGINE PIVOT | 1 | |
| 6 | 37313 | RING, SPIRAL RETAINING WHM-200 | 2 | |
| 7 | 37310 | SCREW, HHC M14-2.0 X 40MM GRD 10.9 NP | 6 | |
| 8 | 37146 | SCREW, HHC M14-2.0 X 35MM GRD 10.9 NP | 2 | |
| 9 | 913838 | SCREW, HHC 3/4 - 10 X 4 GRD5 ZINC | 1 | |
| 10 | 933245 | WASHER, FLAT SAE 9/16 GRD 9 YZ | 8 | |
| 11 | 4389 | NUT, HEX 3/4 - 10 | 1 | |
| 12 | 16530 | SCREW, HHC 7/16 - 14 X 1 | 2 | |
| 13 | 933243 | WASHER, FLAT SAE 7/16 GRD 9 YZ | 2 | |
| 14 | 37037 | WASHER, ENGINE PIVOT PIN | 4 | |
| 15 | 21376 | SCREW, HHC 5/8 - 11 X 1-1/2 | 4 | |

AIR CLEANER ASSY.




AIR CLEANER ASSY.

AIR CLEANER ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|-------------------------------------|------|---------|
| 1 | 37151 | HOSE ASSY, AIR INTAKE | 1 | |
| 2 | 10434 | CLAMP, HOSE WORM # 32 1-9/16 TO 2" | 1 | |
| 3 | 35309 | TUBE, AIR INTAKE BREATHER | 1 | |
| 4 | 15538 | CLAMP, HOSE WORM # 6 | 1 | |
| 5 | 406018 | INDICATOR, ELECTRICAL SERVICE | 1 | |
| 6 | 65516 | FITTING, NIPPLE 1/8" MP | 1 | |
| 7 | 29218 | CLAMP, HOSE WORM # 48 | 2 | |
| 8 | 933241 | WASHER, FLAT SAE 5/16 GRD 9 YZ | 3 | |
| 9 | 1665 | SCREW, HHC 3/8 - 16 X 2 | 4 | |
| 10 | 10133 | NUT, NYLOC 3/8 - 16 | 4 | |
| 11 | M940653 | SCREW, HHC M6 - 1.0 X 25MM GRD 10.9 | 2 | |
| 12 | 1928 | SCREW, HHC M8 - 1.25 X 40MM | 1 | |
| 13 | 9182 | SCREW, HHC M8 - 1.25 X 45MM | 1 | |
| 14 | 2866 | SCREW, HHC M8 - 1.25 X 20MM | 1 | |
| 15 | 35399 | GASKET, AIR INTAKE TUBE | 1 | |
| 16 | 37153 | HOSE, 3.00 ID MOLDED 90 DEGREE | 1 | |
| 17 | 37199 | AIR CLEANER ASSEMBLY 3 INCH #7VLR | 1 | |
| 18 | 37307 | SPACER, AIR CLEANER MOUNT .375L | 1 | |
| 19 | 37309 | SPACER, AIR CLEANER MOUNT .875L | 1 | |
| 20 | 962019 | CLAMP, HOSE WORM # 44 | 2 | |
| 21 | 37317 | BUSHING, AIR INTAKE 2.75 X 3.00 | 1 | |
| 22 | 37112 | MOUNT, AIR FILTER | 1 | |
| 23 | 37761 | BRACKET, AIR INTAKE BODY | 2 | |
| 24 | P772579 | PRIMARY FILTER, DEUTZ BF3L2013 | 1 | |
| 25 | P775300 | SAFETY FILTER, DEUTZ BF3L2014 | 1 | |
| 26 | 12832 | WASHER, SNUBBING | 4 | |
| 27 | 575001 | RUBBER ISOLATOR, TPC #60166-1 | 4 | |

MUFFLER ASSY.




MUFFLER ASSY.

MUFFLER ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|--------|----------|---|------|---------------------|
| 1* | 285003 | EXHAUST, 12" EXTENSION | 1 | |
| 2*# | 570005 | CLAMP, MUFFLER 2-1/2" 5/16 U-BOLT | 2 | |
| 3*# | 8131 | NUT, FINISH L.H. 5/16 - 24 | 4 | |
| 4*# | 933241 | WASHER, FLAT SAE 5/16 GRD 9 YZ | 4 | |
| 5*# | 280005 | MUFFLER | 1 | INCLUDES ITEMS W/% |
| 6*#% | 940693 | SCREW, HHC M10 - 1.5 X 25MM GRD 10.9 NP | 2 | |
| 7*#% | 940358 | WASHER, M10 X 21MM ZINC | 2 | |
| 8*#\$ | 25592 | NUT, M8 - 1.25" | 3 | |
| 9*#\$ | 25591 | WASHER, M8 | 3 | |
| 10*#\$ | 25642 | GASKET, TURBO INLET DEUTZ | 1 | |
| 11*#\$ | 25593 | STUD, M8 - 1.25 X 30MM | 3 | |
| 12 | 37143 | MUFFLER ASSEMBLY COMPLETE | 1 | INCLUDES ITEMS W/* |
| 13* | 280002 | MUFFLER AND FLEX KIT ASSEMBLY | 1 | INCLUDES ITEMS W/# |
| 14*# | 280004 | FLEX KIT ASSEMBLY | 1 | INCLUDES ITEMS W/\$ |


LIFT BAIL ASSY.



LIFT BAIL ASSY.

LIFT BAIL ASSY.


| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|-----------|--|------|----------------|
| 1 | 37114 | SPACER, DEUTZ ENGINE LIFTING BRACKET | 1 | |
| 2 | 37115 | BRACKET, DEUTZ ENGINE LIFTING | 1 | SEE NOTE BELOW |
| 3 | 940694 | SCREW, HHC M10 - 1.5 X 30MM FT 10.9 NP | 1 | |
| 4 | 37314 | SCREW, HHC M12 - 1.75 X 120MM TAP BOLT | 1 | |
| 5 | 37315 | SCREW, HHC M12 - 1.75 X 120MM 10.9 NP | 1 | |
| 6 | 940358 | WASHER, M10 X 21MM ZINC | 1 | |
| 7 | 933244 | WASHER, FLAT SAE 1/2 GRD 9 YZ | 3 | |
| 8 | 933241 | WASHER, FLAT SAE 5/16 GRD 9 YZ | 1 | |
| 9 | 16083 | NUT, HEX M12 - 1.75 NO PLATE | 1 | |
| 10 | 06500-007 | SCREW, HHC 5/16 - 18 X 7/8 | 1 | |



TYPE 2 ROPE GUIDE SYSTEM SUPERCEDES TYPE 1 ROPE GUIDE SYSTEM. SEE FRONT POINTER ASSY.

PLATFORM GUARDS/REAR POINTER ASSY.

PLATFORM GUARDS/REAR POINTER ASSY.




PLATFORM GUARDS/REAR POINTER ASSY.

PLATFORM GUARDS/REAR POINTER ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|-------------------------------------|------|----------------|
| 1 | 37185 | GUARD, BLADESHAFT PULLEY | 1 | SAFETY ITEM |
| 2 | 583091 | STRAP, LOWER BELT GUARD | 1 | |
| 3 | 583092 | WASHER, LOWER BELT PROTECTOR | 1 | |
| 4 | 933244 | WASHER, FLAT SAE 1/2 GRD 9 YZ | 4 | |
| 5 | 3214 | SCREW, HHC 1/2 - 13 X 1-1/4 | 4 | |
| 6 | 915105 | SCREW, HHC 3/8 - 16 X 1.0 GRD 8 | 1 | |
| 7 | 110020 | POINTER, REAR SAW | 1 | |
| 8 | 37360 | SHIELD, CONCRETE SLURRY | 1 | |
| 9 | 915105 | SCREW, HHC 3/8 - 16 X 1.0 GRD 8 | 3 | |
| 10 | 933242 | WASHER, FLAT SAE 3/8 GRD 9 YZ | 6 | |
| 11 | 37122 | PLATFORM, W/A | 1 | |
| 12 | 37450 | STRIP, SLURRY CONTROL | 1 | |
| 13 | 10133 | NUT, NYLOC 3/8 - 16 | 3 | |
| 14 | 20982 | SCREW, FHSC 3/8 - 16 X 1-1/2 PLATED | 3 | |
| 15 | M200000 | GUARD, SAW BLADE COLLAR | 1 | |

WHEEL DRIVE ASSY.




WHEEL DRIVE ASSY.

WHEEL DRIVE ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|-----------------------------------|------|---------|
| 1 | 37102 | MOUNT, WHEEL MOTOR | 1 | |
| 2 | 37095 | WHEEL, 12 X 3 TAPERED BORE | 2 | |
| 3 | 37096 | BRAKE PAD | 2 | |
| 4 | 37097 | BRAKE ARM | 1 | |
| 5 | 37138 | CAP, WHEEL DUST | 2 | |
| 6 | 0655 | SCREW, HHC 5/16 - 18 X 3/4 | 2 | |
| 7 | 0205 | SCREW, HHC 3/8 - 16 X 1.0 | 8 | |
| 8 | 3214 | SCREW, HHC 1/2 - 13 X 1-1/4 | 5 | |
| 9 | 933213 | WASHER, FENDER 5/16 X 1 ZINC | 2 | |
| 10 | 37048 | SPRING, 1.125 X .187 X 4 W/EYELET | 2 | |
| 11 | 23858-001 | EYEBOLT, 3/8 - 16 X 2.0 | 2 | |
| 12 | 933242 | WASHER, FLAT SAE 3/8 GRD 9 YZ | 10 | |
| 13 | 933244 | WASHER, FLAT SAE 1/2 GRD 9 YZ | 7 | |
| 14 | 933247 | WASHER, FLAT SAE 3/4 GRD 9 YZ | 3 | |
| 15 | 10133 | NUT, NYLOC 3/8 - 16 | 2 | |
| 16 | 968011 | NUT, HEX FINISH 1/2 - 13 | 2 | |
| 17 | 19974 | PIN, CLEVIS 1/2 X 1.25 | 3 | |
| 18 | 966166 | PIN, CLEVIS 3/4 X 2 | 1 | |
| 19 | 965105 | PIN, COTTER 5/32 X 1-1/2 | 1 | |
| 20 | 965103 | PIN, COTTER 5/32 X 1 | 3 | |
| 21 | 37322 | SPRING, CREST TO CREST | 4 | |
| 22 | 1456 | NUT, HEX FINISH 3/8 - 16 | 2 | |
| 24 | 12426 | NUT, SLOTTED 3/4-16 | 2 | |
| 26 | 0126 | KEY, WOODRUFF #606 3/16 X 3/4 | 2 | |

FRONT AXLE ASSY.




FRONT AXLE ASSY.

FRONT AXLE ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|-----------|---------------------------------------|------|--------------------|
| 1 | 37106 | FRONT AXLE W/A | 1 | |
| 2 | 933246 | WASHER, FLAT 5/8 SAE GRD9 YZ | 2 | |
| 3 | 06505-008 | SCREW, HHC 5/8 - 11 X 1.00 | 2 | |
| 4 | 37132 | WHEEL ASSEMBLY, FRONT | 2 | INCLUDES ITEMS W/* |
| 5 | 2621 | FITTING, GREASE ZERK STR 1/4 - 28 | 2 | |
| 6 | 26091 | SCREW, SHS 1/4 - 28 X 1/4 CUP POINT | 4 | |
| 7 | 2186 | SCREW, SHC 5/16 - 18 X 2-1/4 PLTD | 1 | |
| 8 | 926064 | SCREW, SQHS CUP POINT 5/16 - 24 X 5/8 | 1 | |
| 9 | 5283 | NUT, NYLOC 5/16 - 18 | 1 | |
| 10 | 1162 A | CAP, GREASE ZERK #2 YELLOW | 2 | |
| 11 | 37040 | BEARING, 1.250" FLANGE | 2 | |
| 12 | 933244 | WASHER, FLAT SAE 1/2 - 13 GD 8 | 16 | |
| 13 | 16629 | NUT, NYLOC 12 - 13 GD 8 | 12 | |
| 14 | 37260 | PIN, LIFT CYLINDER | 1 | |
| 15 | 915211 | SCREW, HHC 1/2 - 13 X 2 GRD8 YZ | 12 | |
| 16 | 37138 | CAP, WHEEL DUST | 2 | |
| 17* | 37131 | WHEEL, 8 X 3 POLYURETHANE | 2 | |
| 18* | 460002 | BEARING, BALL KOYO # 6005 SRS | 4 | |
| 19* | 485002 | SEAL, OIL CR # 28655 | 2 | |
| 20* | 576003 | SNAP RING, - HO-185 | 2 | |
| 21 | 37165 | PLATE, BACKING | 2 | |


HYDRAULIC SYSTEM ASSY.



HYDRAULIC SYSTEM ASSY.

HYDRAULIC SYSTEM ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|---------------------------------------|------|----------------|
| 1 | 37113 | PUMP, 24V DC LIFT - HYDROGEAR | 1 | |
| 2 | 306006 | FILTER, TRANSAXLE | 1 | |
| 3 | 25617 | FILTER HEAD, TRANSAXLE | 1 | |
| 4 | 37121 | LIFT CYLINDER ASSEMBLY | 1 | |
| 5 | 37211 | CYLINDER, BRAKE 2" X 1.5" STROKE | 1 | |
| 6 | 37213 | RESERVOIR, 350ML HYDROGEAR 71327 | 1 | |
| 7 | 37104 | PUMP, HYDROGEAR | 1 | |
| 8 | 37056 | MOTOR, WHEEL - HYDROGEAR HGM-15P-7131 | 2 | |
| 9 | 37162 | EXTENSION SPRING, 1.8" - 8.1 LB RATE | 1 | |
| 10 | 933240 | WASHER, FLAT SAE 1/4 GRD 9 YZ | 4 | |
| 11 | 1579 | SCREW, HHC 1/4 - 20 X .5 | 2 | |
| 12 | 4514 | SCREW, HHC 1/4 - 20 X 5/8 GRD 5 | 2 | |




ITEMS 5 AND 6 USED ON SAWS S/N ZD3700241 AND BELOW

ENGINE PIVOT CYLINDER ASSY.

ENGINE PIVOT CYLINDER ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|------------|----------|-----------------------------------|------|-------------------------|
| 1* | 37445 | VALVE, CHECK | 2 | |
| 2* | 37446 | VALVE, CARTRIDGE 4-WAY 2-POSITION | 1 | |
| 3* | 37447 | SOLENOID COIL 12VDC | 1 | |
| 4 * | 37448 | PISTON, PILOT | 1 | |
| 5* | 37449 | PISTON, BACKUP RING | 2 | S/N ZD3700241 AND BELOW |
| 6* | 37492 | O-RING | 1 | S/N ZD3700241 AND BELOW |
| 7 * | 37390 | CYLINDER, HYDRAULIC | 1 | |
| 8 | 37495 | CYLINDER AND VALVE ASSEMBLY | 1 | INCLUDES ITEMS W/* |
| 9 | 37260 | PIN, LIFT CYLINDER | 1 | |
| 10 | 37166 | PIN, LOWER ENGINE PIVOT | 1 | |
| 11 | 933243 | WASHER, FLAT SAE 7/16 GRD 9 YZ | 2 | |
| 12 | 16530 | SCREW, HHC 7/16 - 14 X 1 | 2 | |


HYDRAULIC HOSES ASSY.



HYDRAULIC HOSES ASSY.

HYDRAULIC HOSES ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|----------|--------------------------------------|------|----------------|
| 1 | 37475 | HOSE ASSEMBLY, #4 LP | 1 | |
| 2 | 37476 | HOSE ASSEMBLY, #4 LP | 1 | |
| 3 | 37477 | HOSE ASSEMBLY, #4 LP | 1 | |
| 4 | 37290 | HOSE ASSEMBLY, #4 HP PARFLEX | 1 | |
| 5 | 37295 | HOSE ASSEMBLY, #6-8 LP | 1 | |
| 6 | 37294 | HOSE ASSEMBLY, #6 LP | 1 | |
| 7 | 37347 | HOSE ASSEMBLY, #6 LP | 1 | SEE NOTE BELOW |
| 8 | 37291 | HOSE ASSEMBLY, #4 PARFLEX | 1 | |
| 9 | 37292 | HOSE ASSEMBLY, #4 LP | 1 | |
| 10 | 37278 | HOSE ASSEMBLY, #6 PARFLEX | 1 | |
| 11 | 37279 | HOSE ASSEMBLY, #6 PARFLEX | 1 | |
| 12 | 37283 | HOSE ASSEMBLY, #8 LP | 1 | |
| 13 | 37281 | HOSE ASSEMBLY, #6 LP | 1 | |
| 14 | 37282 | HOSE ASSEMBLY, #6 LP | 1 | |
| 15 | 37293 | HOSE ASSEMBLY, #4 LP | 1 | |
| 16 | 37280 | HOSE ASSEMBLY, DRIVE MOTOR CROSSOVER | R 1 | |




FOR SAWS UP TO S/N ZD3700238 ONLY.

WHEN ORDERING THIS HOSE (P/N 37347 ITEM 7 ON THIS PAGE), ALSO ORDER TWO (2) EACH FITTINGS (P/N 11887, ITEM 22 SHOWN ON HYDRAULIC FITTINGS AND CLAMPS ASSY).

HYDRAULIC FITTINGS AND CLAMPS ASSY.

HYDRAULIC FITTING AND CLAMPS ASSY.



HYDRAULIC FITTINGS AND CLAMPS ASSY.

HYDRAULIC FITTING AND CLAMPS ASSY.


| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|-------------------------------------|------|----------------|
| 1 | 21095 | FITTING, STR 4MJ - 4MO | 1 | |
| 2 | 368817 | FITTING, 90 4MJ - 4MO | 2 | |
| 3 | 11722 | FITTING, 90 6MJ - 6MO | 4 | |
| 4 | 15538 | CLAMP, HOSE WORM #6, 7/16" TO 7/8" | 2 | |
| 5 | 37793 | CLAMP ASSEMBLY, HOSE | 1 | |
| 6 | 37352 | CLAMP ASSEMBLY, 5/16 HOSE | 1 | |
| 7 | 37792 | CLAMP ASSEMBLY, HOSE | 1 | |
| 8 | 37433 | CLAMP ASSEMBLY, HOSE | 1 | |
| 9 | 366437 | FITTING, BULKHEAD #4 JIC | 1 | |
| 10 | 11721 | FITTING, STR 6MJ - 6MO | 4 | |
| 11 | 12431 | FITTING, 90 8MJ - 6MO | 1 | |
| 12 | 21115 | FITTING, STR 6MJ - 6MO LONG | 2 | |
| 13 | 37405 | FITTING, 10MO X - 6FO - ST | 2 | |
| 14 | 37406 | FITTING, 6MJ X 10MO - ST | 2 | |
| 15 | 21159 | FITTING, 45 4MJ - 4MO | 1 | |
| 16 | 367470 | FITTING, STR 4MJ - 6MO | 3 | |
| 17 | 37788 | FITTING, TEE 4MO - 4MO - 4MJ | 1 | |
| 18 | 12147 | FITTING, QD 6MO DIAGN PARKER PD 361 | 1 | |
| 19 | 12148 | CAP, DUST DIAG PARKER PD6 - 285 | 1 | |
| 20 | 35022 | CLAMP, LOOP CUSHIONED #8 | 1 | |
| 21 | 37493 | FITTING, ORIFICE 4MJ - 4MO X .100 | 1 | |
| 22 | 11887 | FITTING, STR 6MJ - 4MO | 2 | SEE NOTE BELOW |



FOR SAWS UP TO S/N ZD3700238 ONLY.

WHEN ORDERING HOSE (P/N 37347 ITEM 7 ON HYDRAULIC HOSES ASSY), ALSO ORDER TWO (2) EACH FITTINGS P/N 11887, ITEM 22 SHOWN ON THIS PAGE.

FRONT POINTER ASSY.



FRONT POINTER ASSY.

FRONT POINTER ASSY.


| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|---|------|-----------------------|
| 1 | 37182 | POINTER | 1 | |
| 2 | 582008 | BUSHING, FLANGE 1.0 OD X .75 ID | 4 | |
| 3 | 500005 | WHEEL, POINTER 6" X 1" | 1 | |
| 4 | 37178 | AXLE, POINTER WHEEL | 1 | |
| 5 | 926006 | SCREW, SQHS CP 1/4 - 20 X1/2 | 2 | |
| 6 | 15503 | KNOB, COMFORT GRIP STAR | 1 | |
| 7 | 110038 | SAW POINTER 15" RH FRONT | 1 | |
| 8 | 1456 | NUT, HEX FINISH 3/8 - 16 | 1 | |
| 9 | 10133 | NUT, NYLOC 3/8 - 16 | 1 | SEE NOTE BELOW |
| 10 | 5070 B | | 2 | |
| 11 | 933247 | WASHER, FLAT SAE 3/4 GRD 9 YZ | | |
| 12 | 3233 | WASHER, FENDER 1.50 OD X 3/8 ID | 2 | |
| 13 | 37261 | | 2 | |
| 14 | 544002 | SHOULDER, ADAPTER | 1 | SEE NOTE BELOW |
| 15 | 125043-3 | RETAINER, SAW POINTER CABLE | 1 | SEE NOTE BELOW |
| 16 | 540039 | PULLEY, POINTER ROPE WASHER, FLAT SAE 3/8 SCREW, HHC 3/8 - 16 X 2 | 1 | SEE NOTE BELOW |
| 17 | 10136 | WASHER, FLAT SAE 3/8 | 2 | SEE NOTE BELOW |
| 18 | 1665 | SCREW, HHC 3/8 - 16 X 2 | 1 | SEE NOTE BELOW |
| 19 | 0205 | SCREW, HHC 3/8 - 16 X 1.0 ROPE, POINTER ASSY | 1 | |
| 20 | 574003 | ROPE, POINTER ASSY | 1 | INCLUDES BALL & CRIMP |
| 21 | 574002 | CAM CLEAT | 1 | |
| 22 | 15173 | WASHER, FLAT #8 | 2 | |
| 23 | 13287 | NUT, NYLOC 8 - 32 | 2 | |
| 24 | 923199 | SCREW, SHC 8 - 32 X 1-1/4 | 2 | |
| 25 | 37112 | MOUNT, AIR FILTER | 1 | |



THESE PARTS ARE USED ONLY ON "TYPE 1" ROPE GUIDE SYSTEMS SHOWN IN ILLUSTRATION ON LIFT BAIL ASSY.

TYPE 2 ROPE GUIDE SYSTEM SUPERCEDES TYPE 1 ROPE GUIDE SYSTEM. SEE ILLUSTRATION.

BELT DRIVE ASSY.




BELT DRIVE ASSY.

BELT DRIVE ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|-----------|--|------|-------------------------------|
| 1 | 37001 | PLATE, ENGINE ADAPTER-DEUTZ | 1 | |
| 3# | | SHAFT, ENGINE DRIVE-DEUTZ | 1 | |
| 4 | 37019 | PLATE, PULLEY DRIVE COVER | 1 | |
| 5# | | FLANGE, ENGINE DRIVE-DEUTZ | 1 | |
| 6# | | FLANGE, PULLEY DRIVE-DEUTZ | 1 | |
| 7 | 37137 | BELT TENSIONER ASSY | | INCLUDES ITEMS W/* |
| 8 | 37002 | , | | |
| 9 | 37319 | | 1 | |
| 10 | 37320 | SCREW, SHC 10-32 X 3/4 | 1 | |
| 11 | 923201 | SCREW, SHC 1/4 - 20 X 1/2 | 8 | |
| 12 | 37267 | SPACER, BELT TENSIONER | 1 | |
| 13 | 21004-003 | BELT, AX-35 | 1 | |
| 14 | 37755 | SHOE, LOWER BELTSIDE | 1 | |
| 15 | 460016 | BUSHING, TAPER-LOCK 2517 X 1-7/8 BUSHING, TAPER-LOCK 2012 X 1-7/8 | 1 | FITS 20", 26", 30", 36" |
| 15 | 460023 | BUSHING, TAPER-LOCK 2012 X 1-7/8 | 1 | FITS 16" |
| 16 | 10057-061 | KEY, 1/2" SQ X 3-1/2" | 1 | |
| 17 | 37269 | KEY, SQUARE 1/8 X 3/4 | 1 | |
| 18* | 37266 | SCREW, MODIFIED HEAD 3/8 X 1-3/4 GUARD, PUMP DRIVE | 1 | |
| 19 | 37218 | GUARD, PUMP DRIVE | 1 | SAFETY ITEM |
| 20 | 582012 | BUSHING, QUICK DISCONNECT BLADE SHAF | T 2 | |
| 21 | 915315 | SCREW, HHC 5/8 - 11 X 3 GR8 | 1 | |
| 22 | 915316 | SCREW, HHC 5/8 - 11 X 3 LH GR8 | 1 | |
| 23 | 10138 | SCREW, SHS 1/4 - 20 X 1/2 NP | 1 | |
| 24 | 926919 | PIN, DOWEL 1/4 X 3/4 | 1 | |
| 25 | 37268 | STUD, 3/8 - 16 X 3 SELF-LOCKING | 1 | |
| 26 | 933242 | WASHER, FLAT SAE 3/8 GRD 9 YZ | 5 | |
| 27 | 1456 | NUT, HEX FINISH 3/8 - 16 | 4 | |
| 28 | 37762 | STUD, 1/2 - 13 X 1-3/4 | 1 | |
| 29 | 924289 | SCREW, FHSC 3/8 - 16 X 1-3/4 | 2 | |
| 30 | 10133 | NUT, NYLOC 3/8 - 16 | 2 | |
| 31 | 939978 | SCREW, FHSC M10 - 1.5 X 25MM NP | 11 | |
| 32 | 938422 | SCREW, HHC M10 - 1.0 X 50MM 10.9 NP | 8 | |
| 33 | 37177 | FLANGE ASSY, 6.0" OUTER BLADE | 2 | FITS 30", 36" BELT DRIVE |
| 33 | 37169 | FLANGE ASSY, 5.0" OUTER BLADE | 2 | FITS 16", 20", 26" BELT DRIVE |
| 34 | 37176 | FLANGE ASSY, 6.0" INNER BLADE | 2 | FITS 30", 36" BELT DRIVE |
| 34 | 37168 | FLANGE ASSY, 5.0" INNER BLADE | 2 | FITS 16", 20", 26" BELT DRIVE |
| 35 | 520007 | V-BELT, 5G 3 VX 530 POWERBAND | 2 | |
| 36 | 540047 | PULLEY, 5.6 10G 3V X 2517 TAPER | 1 | FITS 36" BELT DRIVE |
| 36 | 540041 | PULLEY, 5.3 10G 3V X 2517 TAPER | 1 | FITS 30" BELT DRIVE |
| 36 | 540040 | PULLEY, 5.0 10G 3V X 2517 TAPER | 1 | FITS 26" BELT DRIVE |
| 36 | 540035 | PULLEY, 4.75 10G 3V X 2517 TAPER | 1 | FITS 20" BELT DRIVE |
| 36 | 540046 | PULLEY, 4.2 10G 3V X 2012 TAPER | 1 | FITS 16" BELT DRIVE |

CONTINUED NEXT PAGE

BELT DRIVE ASSY. (CONTINUED)




BELT DRIVE ASSY.

BELT DRIVE ASSY. (CONTINUED)

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|-----|----------|----------------------------------|------|---------------------|
| 37 | 37134 | BLADE SHAFT ASSY. | 1 | |
| 38 | 926790 | PIN, DOWEL 3/8 X 1-3/4 | 2 | INCLUDED W/ ITEM 33 |
| 39 | 25992 | SCREW, SHC 12 - 24 X 1/2 | 4 | |
| 40 | 37735 | RING, FAN MOUNT | 1 | |
| 41 | 37734 | FAN, CW 8" 10 BLADE | 1 | |
| 42 | 37763 | STUD, 1/2 - 13 X 5-1/2 | 1 | |
| 43 | 915103 | SCREW, HHC 3/8 - 16 X 3/4 GR8 YZ | 2 | |
| 44 | 37756 | SHOE, UPPER BELTSIDE | 1 | |
| 45 | 37833 | SPLINED DRIVE ASSY | 1 | INCLUDES ITEMS W/# |

DRIVE PULLEY ASSY.




DRIVE PULLEY ASSY.

DRIVE PULLEY ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|-----|----------|--------------------------------------|------|-------------------------------|
| 1* | 37011 | PULLEY, 3.3 10 3V 4.5 1A | 1 | FITS 26", 30", 36" BELT DRIVE |
| 1# | 37154 | PULLEY, 4.1 3V 4.5 1A | 1 | FITS 16", 20" BELT DRIVE |
| 2*# | 37003 | SUPPORT, ENGINE DRIVE BEARING | 1 | |
| 3*# | 37028 | BEARING, TAPERED ROLLER NSK #32007XJ | 2 | |
| 4*# | 37090 | SPRING, SMALLEY WAVO RW-0162 | 1 | |
| 5*# | 37017 | FLANGE, ENGINE DRIVE BEARING SUPPORT | 1 | |
| 6*# | 37092 | SEAL, CR 17753 | 2 | |
| 7*# | 37035 | SCREW, SHC 4-40 X 3/8 | 4 | |
| 8*# | 915004 | SCREW, HHC 1/4 - 20 X 7/8 GR8 YZ | 8 | |
| 9*# | 933240 | WASHER, FLAT SAE 1/4 GRD 9 YZ | 8 | |
| 10 | 37103 | DRIVE PULLEY ASSY., 3.3 10 3V 4.5 1A | 1 | FITS 26", 30", 36" BELT DRIVE |
| | | | | INCLUDES ITEMS W/* |
| 10 | 37321 | DRIVE PULLEY ASSY., 4.1 3V 4.5 1A | 1 | FITS 16", 20" BELT DRIVE |
| | | · | | INCLUDES ITEMS W/# |

BLADE SHAFT ASSY.




BLADESHAFT ASSY.

BLADE SHAFT ASSY.

| NO. | PART NO. | PART NAME | QTY. | <u>REMARKS</u> |
|------------|-----------|------------------------------------|------|--------------------|
| 1* | 37108 | HOUSING, BLADESHAFT | 1 | |
| 2* | 37111 | BLADESHAFT, 7000 SERIES | 1 | |
| 3* | 06502-010 | SCREW, HHC 7/16 - 14 X 1-1/4 | 6 | |
| 4 * | 933243 | WASHER FLAT SAE 7/16 GRD 9 YZ | 6 | |
| 5* | 421001 | SENSOR, HALL EFFECT SPEED PICKUP | 1 | |
| 6* | 583026 | DRAIN PLUG, MAGNETIC 1/2 - 20 | 1 | |
| 7 * | 577009 | GASKET, DRAIN PLUG | 1 | |
| 8* | 25695 | WASHER, SEAL 3/4" | 1 | |
| 9* | 25690 | GEAR, SAW BLADE SHAFT SPEED PICKUP | 1 | |
| 10* | 460010 | BEARING, ROLLER KOYO # 7210BGC3 | 2 | |
| 11* | 39460011 | BEARING, BALL KOYO # NU2210RC3 | 1 | |
| 12* | 480006 | SEAL, OIL CR# 28655 | 2 | |
| 13* | 480007 | SEAL, OIL CR- 19599 | 2 | |
| 14* | 485003 | SLEEVE, BLADE SHAFT SEAL | 2 | |
| 15* | 486001 | WASHER, THRUST 6000 SERIES | 2 | |
| 16* | 576006 | SNAP RING, VITON # AS-135 | 2 | |
| 17* | 578135 | O-RING, VITON # AS-135 | 2 | |
| 18* | 576007 | SNAP RING, VHO-354 | 1 | |
| 19* | 10138 | SCREW, SHS 1/4 - 20 X 1/2 | 6 | |
| 20* | 927048 | KEY, WOODRUFF #807 1/4 X 7/8 | 2 | |
| 21 | 37134 | BLADESHAFT ASSEMBLY | 1 | INCLUDES ITEMS W/* |

16", 20", 26" BLADEGUARD ASSY.




16", 20", 26" BLADEGUARD ASSY.

16", 20", 26" BLADEGUARD ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|--------|-----------|--|------|---------------------|
| 1* | 200004 | BLADEGUARD W/A, 16" REAR HALF | 1 | |
| 1# | 200008 | BLADEGUARD W/A, 20" REAR HALF | 1 | |
| 1\$ | 200010 | BLADEGUARD W/A, 26" REAR HALF | 1 | |
| 2* | 200003 | BLADEGUARD W/A, 16" FRONT HALF | 1 | |
| 2# | 200007 | BLADEGUARD W/A, 20" FRONT HALF | 1 | |
| 2\$ | 200009 | BLADEGUARD W/A, 26" FRONT HALF | 1 | |
| 3*#\$ | 582040 | BUSHING, BLADEGUARD HINGE DELRIN | 1 | |
| 4*#\$ | 200019 | FLAP,MUD BLADEGUARD | 1 | SAFETY ITEM |
| 5*#\$ | 37394 | MANIFOLD, WATER SMALL | 1 | |
| 6*#\$ | 2113 | FITTING, PLUG 1/8MP HEX SKT HD | 1 | |
| 7*#\$ | 370456 | FITTING, BRASS 6BARB-1/4MP | 2 | |
| 8*#\$ | 10176 | NUT, NYLOC 1/2-13 | 1 | |
| 9*#\$ | 10024 | NUT, NYLOC 1/4-20 | 3 | |
| 10*#\$ | 0131 A | SCREW, HHC 1/4 - 20 X 3/4 | 1 | |
| 11*#\$ | 06503-026 | SCREW, HHC 1/2 - 13 X 3-1/4 | 1 | |
| 12*#\$ | 26250 | SCREW, HHC 1/4 - 20 X 1-3/4 | 2 | |
| 13*#\$ | 10930 | WASHER, FENDER 1/4 X 1-1/4 | 1 | |
| 14*#\$ | 37396 | 3/8" QC MALE | 1 | |
| 15*# | 37506 | HOSE, WATER #6 LP, 16", 20" BLADEGUARD | 2 | |
| 15\$ | 37508 | HOSE, WATER #6 LP, 26" BLADEGUARD | 2 | |
| 16*#\$ | 22129-001 | PIPE STRAP 3/8 | 2 | |
| 17*#\$ | 1618 | NUT, NYLOC 10-24 | 2 | |
| 18*#\$ | 923144 | | 2 | |
| 19 | 37335 | BLADEGUARD ASSY., 16" STD SYS | 1 | SAFETY ITEM |
| | | | | INCLUDES ITEMS W/* |
| 19 | 37336 | BLADEGUARD ASSY., 20" STD SYS | | |
| | | | | |
| 19 | 37337 | BLADEGUARD ASSY., 26" STD SYS | | |
| | | | | INCLUDES ITEMS W/\$ |

30", 36" BLADE GUARD ASSY.




30", 36" BLADEGUARD ASSY.

30", 36" BLADE GUARD ASSY.

| NO. | PART NO. | PART NAME | QTY. | REMARKS |
|--------------|-----------|-----------------------------------|------|--------------------|
| 1* | 200012 | BLADEGUARD W/A, 30" REAR HALF | 1 | |
| 1# | 200014 | BLADEGUARD W/A, 36" REAR HALF | 1 | |
| 2* | 200011 | BLADEGUARD W/A, 30" FRONT HALF | 1 | |
| 2# | 200013 | BLADEGUARD W/A, 36" FRONT HALF | 1 | |
| 3*# | 582039 | BUSHING, BLADEGUARD HINGE DELRIN | 1 | |
| 4 * # | 37395 | MANIFOLD, WATER LARGE | 1 | |
| 5*# | 200019 | FLAP,MUD BLADEGUARD | 1 | SAFETY ITEM |
| 6*# | 0131 A | SCREW, HHC 1/4 - 20 X 3/4 | 1 | |
| 7 * # | 26250 | SCREW, HHC 1/4 - 20 X 1-3/4 | 2 | |
| 8*# | 06503-030 | SCREW, HHC 1/2 - 13 X 3-3/4 | 1 | |
| 9*# | 10176 | NUT, NYLOC 1/2-13 | 1 | |
| 10*# | 10024 | NUT, NYLOC 1/4-20 | 3 | |
| 11*# | 10930 | WASHER, FENDER 1/4 X 1-1/4 | 1 | |
| 12*# | 370456 | FITTING, BRASS 6BARB-1/4MP | 2 | |
| 13*# | 2113 | FITTING, PLUG 1/8MP HEX SKT HD | 1 | |
| 14*# | 37396 | 3/8" QC MALE | 1 | |
| 15*# | 1618 | NUT, NYLOC 10-24 | 2 | |
| 16*# | 923144 | SCREW, SHC 10-24 X 1/2 | 2 | |
| 17*# | 22129-001 | PIPE STRAP 3/8 | 2 | |
| 18* | 37509 | HOSE, WATER #6 LP, 30" BLADEGUARD | 2 | |
| 18# | 37510 | HOSE, WATER #6 LP, 36" BLADEGUARD | 2 | |
| 19 | 37338 | BLADEGUARD ASSY., 30" STD SYS | 1 | SAFETY ITEM |
| | | | | INCLUDES ITEMS W/* |
| 19 | 37339 | BLADEGUARD ASSY., 36" STD SYS | 1 | SAFETY ITEM |
| | | | | INCLUDES ITEMS W/# |

OPTIONAL WEIGHT KIT ASSY.



OPTIONAL WEIGHT KIT ASSY.

OPTIONAL WEIGHT KIT ASSY.

NO. PART NO. WEIGHT KIT QTY. 1

TERMS AND CONDITIONS OF SALE — PARTS

STOW

A DIVISION OF MULTIQUIP INC.

PAYMENT TERMS

Terms of payment for unit sales are 2% 15 days net 30 days from date of invoice unless otherwise specifically stated on our invoice. Parts invoices have terms of net 10 days. **Minimum parts billing is \$15.00 net**.

Applicable discounts will be computed on merchandise value only. Late charges will be assessed at prevailing rates. Cash discounts cannot be taken on current billings if any previously billed amounts are past due.

FREIGHT POLICY

Freight policy is established to offer customers every advantage possible. Due to bulk freight ratings on some equipment and other shipping considerations, freight policies differ by equipment type. Actual back freight may be charged for shipments originating from other than specified FOB warehouses. See Freight Policy for details.

All STOW domestic sales are FOB nearest available designated MQ/STOW warehouse. Export orders are ex-works factory located in Carson, CA or Boise, ID.

Additions to orders already shipped cannot be accepted for freight minimums.

Should STOW elect to make partial shipments of an order originally complying with the "freight allowed" requirements, transportation charges will be absorbed by STOW on any subsequent shipment applying to that order.

All other orders will be shipped collect or prepaid with charges added to the invoice. STOW's responsibility ceases when a signed manifest has been obtained from the carrier, and any claim for shortage or damage must be settled between the consignee and the carrier.

Parts: FOB Carson, California or Boise, Idaho. See Freight Policy for details and additional discounts.

Terms and Conditions of Sale STOW Construction Equipment

DROP SHIPMENTS

STOW reserves the right to refuse Drop Shipments outside the normal service area of the purchasing dealer.

FIELD WAREHOUSES

Field Warehouses are currently located in California, Georgia, Idaho, Iowa, and New Jersey

SPECIAL EXPEDITING SERVICE

The higher of a \$35.00 surcharge or actual costs will be added to the invoice for special handling, including bus shipments, or in cases where STOW personnel must personally deliver the equipment or parts to the carrier.

RETURNED GOODS POLICY

Return shipments may be accepted and credit allowed, subject to the following provisions.

- A Returned Material Authorization (RMA) must be approved by STOW prior to shipment. Approvals for returned goods must be with just cause and are at the sole discretion of STOW. A copy of the Authorization must accompany the shipment to the designated Warehouse.
- 2. Parts being returned must be listed as currently supplied on the current parts list.
- 3. Parts must be in new and resalable condition in the original package, with part numbers clearly marked.
- Units and accessories must be current models in the latest price list and in new and resalable condition.
- 5. Special order items are not returnable for credit.
- Credit on returned parts and units will be issued at actual dealer net price at time of purchase less 15% restocking charge.
- All returned shipments are to be made to the STOW designated receiving point, freight prepaid at the sender's expense.

The sender will be notified of any material received that does not meet the above provisions. Such material will be held for 30 days from notification pending instructions. If a reply is not received within 30 days, the material will be returned to the sender at his expense with no credit issued.

PRICING, REBATES AND SPECIFICATIONS

Every effort will be made to provide adequate notice of changes; however, prices and equipment specifications are subject to change without notice.

Price changes are effective on a specific date and all orders received on or after that date will be billed at the revised price.

Rebates for price reductions and added charges for price increases will not be made for stock in dealer inventory at the time of a price change.

STOW reserves the right to quote and sell direct to Government agencies and to Original Equipment Manufacturer accounts who use our products as integral parts of their own products.

LIMITATION OF SELLER'S LIABILITY

STOW shall not be liable hereunder for damages in excess of the purchase price of the item with respect to which damages are claimed and in no event shall STOW be liable for loss of profit or good will or for any other special, consequential or incidental damages.

LIMITATION OF WARRANTIES

There are no warranties, express or implied, made by STOW. hereunder on Products manufactured or distributed by it except the warranty against defects in material and workmanship on new Products to the original purchaser, as set forth in the STOW New Product Limited Warranty.

Effective: July 15, 2003



A DIVISION OF MULTIQUIP INC.

Atlanta • Boise • Newark • Quebec, Canada Manchester, UK • Rio de Janeiro, BR • Puebla, MX

STOW CONSTRUCTION EQUIPMENT

POST OFFICE BOX 6254 CARSON, CALIFORNIA 90749 310-661-4242 • 877-BUY-STOW FAX: 310-604-9237

E-MAIL: stow@stowmfg.com www.stowmfg.com

| NOTES |
|-------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

PARTS MANUAL

HERE'S HOW TO GET HELP

PLEASE HAVE THE MODEL AND SERIAL NUMBER *ON-HAND* WHEN CALLING

PARTS DEPARTMENT

800-427-1244 FAX: 800-672-7877 310-537-3700 FAX: 310-637-3284

SERVICE DEPARTMENT

800-478-1244 FAX: 310-537-4259

310-537-3700

TECHNICAL ASSISTANCE

800-478-1244 FAX: 310-631-5032

WARRANTY DEPARTMENT

800-421-1244, EXT. 279 FAX: 310-537-1173

310-537-3700, EXT. 279

SALES DEPARTMENT

310-661-4242 FAX: 310-604-9237

877-289-7869 (877-BUY-STOW)

© COPYRIGHT 2008, MULTIQUIP INC.

Multiquip Inc and the STOW logo are registered trademarks of Multiquip Inc. and may not be used, reproduced, or altered without written permission. All other trademarks are the property of their respective owners and used with permission.

This manual MUST accompany the equipment at all times. This manual is considered a permanent part of the equipment and should remain with the unit if resold.

The information and specifications included in this publication were in effect at the time of approval for printing. Illustrations, descriptions, references and technical data contained in this manual are for guidance only and may not be considered as binding. Multiquip Inc. reserves the right to discontinue or change specifications, design or the information published in this publication at any time without notice and without incurring any obligations.

Your Local Dealer is:



MQ STOW CONSTRUCTION EQUIPMENT

A DIVISION OF MULTIQUIP INC.
POST OFFICE BOX 6254
CARSON, CA 90749
310-537-3700 • 888-252-MQ STOW [888-252-7869]
FAX: 310-537-1986 • FAX: 800-556-1986
E-MAIL: MQ STOW@multiquip.com • WWW:

stowmfa.com