EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DA7000SSA3



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

Manufacturer:	KUBOTA			Bore:	2.52	in.	(64	mm)
Model:	Z482			Stroke:	2.68	in.	(68	mm)
Туре:	4-Cycle, In-Line, 2-Cylinde	er, Diesel		Displacemen	t: 29.2	cid	(0.479	liters)
Aspiration:	Naturally Aspirated, Indire	n	Compression Ratio: 23:1					
PERFORMA	NCE DATA							
SAE Gross HP	@ ³⁶⁰⁰ RPM (60 Hz) Ra	ted 12	2.3					
Load Fuel Con	sumption (gal/Hr) Rated	0.0	69					
Load Exhaust	Gas Flow (cfm) Rated Lo	oad 66	6					
	emperature (°F)	93	32					
Un	ited States EPA - M	lobile O	ff-Highway Tier	4 Limits -			0 ≤	~ < 25 BHF
	ited States EPA - M ria Pollutant		off-Highway Tier		ed Engi	ine Ei	0 ≤ missior	_
Crite			•••			i ne E i hp-hr	missior	_
Crite NOx (Oxides o	ria Pollutant	Emis	sion Requirements	Certifi	gr/b		missior	_
Crite NOx (Oxides o	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons)	Emis N/A	sion Requirements	Certifi N/A	gr/b gr/bl	hp-hr	missior	_
Crite NOx (Oxides o HC (Total Unbe	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined)	Emis N/A N/A	sion Requirements gr/bhp-hr gr/bhp-hr	Certifi N/A N/A	gr/b gr/bl gr/bl	hp-hr hp-hr	missior	_
Crite NOx (Oxides o HC (Total Unbo NOx + HC (Co	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide)	Emis N/A N/A N/A	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A N/A	gr/b gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr	missior	_
Crite NOx (Oxides o HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide)	Emis N/A N/A N/A 4.92	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifi N/A N/A N/A 1.86	gr/b gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr	missior	_
Crite NOx (Oxides o HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide) e Matter)	Emis N/A N/A N/A 4.92 0.29	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie N/A N/A N/A 1.86 0.15	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr	missior	_
Crite NOx (Oxides of HC (Total Unbe NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons)	Emis N/A N/A N/A 4.92 0.29 N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifi N/A N/A N/A 1.86 0.15 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr	missior	_
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons)	Emis N/A N/A N/A 4.92 0.29 N/A 5.59	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifi N/A N/A N/A 1.86 0.15 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr	missior	_
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons) amily: LKE e of Conformance: LKE	Emis N/A N/A 4.92 0.29 N/A 5.59 BXL.719K	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr cC CC-015	Certifi N/A N/A N/A 1.86 0.15 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr	missior	_
Crite NOx (Oxides of HC (Total Unbe NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa EPA Certificate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons) amily: LKE e of Conformance: LKE e Order: U-F	Emis N/A N/A 4.92 0.29 N/A 5.59 BXL.719K	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr cC CC-015	Certifi N/A N/A N/A 1.86 0.15 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr	missior	_

UNITED STATED TO BE	CERTIFICATE	MENTAL PROTE(ODEL YEAR OF CONFORMIT CLEAN AIR ACT		OFFICE OF TRANS AND AIR QU ANN ARBOR, MICH	UALITY	
Certificate Issued To: Kub (U.S. 1 Certificate Number: LKBX	Manufacturer or Importer)	Effective Date: 08/22/2019 Expiration Date: 12/31/2020		r, Division Director ance Division	Issue Date: 08/22/2019 Revision Date: N/A	
Model Year: 2020 Manufacturer Type: Origina Engine Family: LKBXL.719	0	En Fu Af	bile/Stationary Indicator: Mobile issions Power Category: 8<=kW< el Type: Diesel er Treatment Devices: No After T n-after Treatment Devices: Engin	<19 Treatment Devices Installed		
issued with respect to the test of required by 40 CFR Part 1039 This certificate of conformity of	Clean Air Act (42 U.S.C. section 7547) and 40 CFR F engines which have been found to conform to applicab and produced in the stated model year. covers only those new compression-ignition engines w CFR Part 1039 and which are produced during the m	ble requirements and whi	th represent the following engines, rial respects to the design specificat	by engine family, more fully describe	ed in the documentation	
warrant or court order may lea	at the manufacturer shall consent to all inspections de d to revocation or suspension of this certificate for rea er reasons specified in 40 CFR Part 1039.					
This certificate does not cover	engines sold, offered for sale, or introduced, or delive	red for introduction, into	and	ffective date of the certificate.		

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2020	LKBXL.719KCC 0.479, 0.719		Diesel	3000		
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION			
	Indirect Diesel Inje	ection	Generator Set, Light Tower, Welde	er, Auxiliary Power Unit		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kW-hr)					OPACITY (%)		
POWER CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
kW < 19	Tier 4 Final	OPTIONAL STD	N/A	N/A	7.5	6.6	0.40	N/A	N/A	N/A
		CERT			6.0	2.5	0.21		<u>-</u>	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of August 2019.

Allen Eyons, Chief Emissions Certification and Compliance Division

Engine Model Summary Form

EO#U-R-025-0858

		angine meas	i ounnary i onn	U U I V I V U
Manufacturer:	KUBOTA Corporation			
Engine category:	Nonroad Cl			Date: 8/2/2019
EPA Engine Family:	LKBXL.719KCC	Attachment	page of 1	
Mfr Family Name:	N/A		1 1 1	
Process Code:	New Submission			
	Engine category: EPA Engine Family: Mfr Family Name:	Engine category: Nonroad CI EPA Engine Family: LKBXL.719KCC Mfr Family Name: N/A	Engine category: Nonroad Cl EPA Engine Family: LKBXL.719KCC Mfr Family Name: N/A	Engine category: Nonroad Cl EPA Engine Family: LKBXL.719KCC <u>Attachment</u> page 1 of 1 Mfr Family Name: N/A

1	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (Ibs/hr)@peak torque	9.Emission Control Device Per SAE J1930
12	D722-D2-EF01	D722-D2-EF	20.2@3600	15.2	9.2	29.6@3600	15.2	9.2	EM, IFI
1	Z482-D2-EF01	Z482-D2-EF	13.8@3600	15.4	6.2	20.1@3600	15.4	6.2	EM, IFI
T	Z482-D2-EF02	Z482-D2-EF	13.1@3600	15.2	6.1	19.2@3600	15.2	6.1	EM, IFI
Π	Z482-D2-EF03	Z482-D2-EF	12.7@3600	14.7	5.9	18.6@3600	14.7	5.9	EM, IFI
	Z482-D2-EF04	Z482-D2-EF	12.2@3600	14.2	5.7	17.8@3600	14.2	5.7	EM, IFI
1	Z482-D2-EF05	Z482-D2-EF	9.5@2600	14.3	4.2	19.3@2600	14.3	4.2	EM, IFI
1	Z482-D2-EF06	Z482-D2-EF	11.0@3000	14.6	4.9	19.3@3000	14.6	4.9	EM, IFI
T	Z482-D2-EF07	Z482-D2-EF	6.0@1800	13.6	2.7	17.6@1800	13.6	2.7	EM, IFI
T	Z482-D2-EF07e	Z482-D2-EF	6.0@1800	13.6	2.7	17.6@1800	13.6	2.7	EM, IFI
t	Z482-D2-EF08	Z482-D2-EF	8.7@2400	14.0	3.8	19.1@2400	14.0	3.8	EM, IFI