EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA25USIXF



The engine used in this generator set is certified to comply with United States EPA Tier 2 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA									
Manufacturer:	SUZU		Bore:	3.35 in.	(85 mm)				
Model:	A-4LE2		Stroke:	3.78 in.	(96 mm)				
Туре: 4	l-Cycle, In-Line	e, 4-Cylinder, Diese	I Displacemen	t: 133 cid	(2.18 liters)				
Aspiration:	Naturally Aspirat	ed	Compression	Ratio:	18:1				
PERFORMANCE DATA	<u>\</u>								
SAE Gross HP @ 1800 RPM	(60 Hz)	36							
Rated Load Fuel Consumptio									
Rated Load Exhaust Gas Flor		144		Rated Load Exhaust Gas Temperature (F) 1058					
	. ,								
Rated Load Exhaust Gas Ter	nperature (F)		Tier 2 Limits - ≥	25 BHP -	≤48 BHP				
Rated Load Exhaust Gas Ter	nperature (F) EPA - Mot	1058		25 BHP - d Engine Ei					
Rated Load Exhaust Gas Ter United States	nperature (F) SEPA - Mot	1058 bile Off-Highway			missions				
Rated Load Exhaust Gas Ter United States Criteria Pollutant	EPA - Mot E IO2)	1058 bile Off-Highway ⁻ mission Requiremen	ts Certifie (5.22)*	d Engine Ei	missions				
Rated Load Exhaust Gas Ter United States Criteria Pollutant NOx (Oxides of Nitrogen as N	nperature (F) 5 EPA - Mok E IO2) (5.6 rbons)	1058 bile Off-Highway mission Requiremen 60)* gr/bhp-hr	ts Certifie (5.22)*	d Engine E i gr/bhp-hr	missions nbined				
Rated Load Exhaust Gas Ter United States Criteria Pollutant NOx (Oxides of Nitrogen as N HC (Total Unburned Hydroca	rbons)	1058 Dile Off-Highway mission Requiremen 60)* gr/bhp-hr (NOx + HC)* Combine	ed (NO)	d Engine Ei gr/bhp-hr (+ HC)* Cor	missions nbined				
Rated Load Exhaust Gas Ter United States Criteria Pollutant NOx (Oxides of Nitrogen as N HC (Total Unburned Hydroca CO (Carbon Monoxide)	EPA - Mot E IO2) (5.6 rbons) 4.	1058 bile Off-Highway mission Requiremen 60)* gr/bhp-hr (NOx + HC)* Combine 10 gr/bhp-hr	nts Certifie (5.22)* ed (NO) 1.94	d Engine Ei gr/bhp-hr (+ HC)* Cor gr/bhp-hr	missions nbined				
Rated Load Exhaust Gas Ter United States Criteria Pollutant NOx (Oxides of Nitrogen as N HC (Total Unburned Hydroca CO (Carbon Monoxide) PM (Particulate Matter)	nperature (F) EPA - Mot 102) (5.6 rbons) 4. 0. 7SZX	1058 bile Off-Highway mission Requiremen 60)* gr/bhp-hr (NOx + HC)* Combine 10 gr/bhp-hr 45 gr/bhp-hr	nts Certifie (5.22)* ed (NO) 1.94	d Engine Ei gr/bhp-hr (+ HC)* Cor gr/bhp-hr	missions nbined				
Rated Load Exhaust Gas Ter United States Criteria Pollutant NOx (Oxides of Nitrogen as N HC (Total Unburned Hydroca CO (Carbon Monoxide) PM (Particulate Matter) EPA Engine Family:	rbons) FICE: F	1058 bile Off-Highway mission Requiremen 50)* gr/bhp-hr (NOx + HC)* Combine 10 gr/bhp-hr 45 gr/bhp-hr KL02.2DNB	nts Certifie (5.22)* ed (NO) 1.94	d Engine Ei gr/bhp-hr (+ HC)* Cor gr/bhp-hr	missions nbined				

or with improper service maintenance, may result in higher emission levels.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

2007 Model Year Certificate of Conformity

Manufacturer: Engine Family: Certificate Number: Intended Service Class: Fuel Type: FELs: Effective Date: Date Issued:

ISUZU MOTORS LIMITED 7SZXL02.2DNB SZX-NRCI-07-03 NR 3 (19-37 KW) DIESEL NMHC+NOx: N/A NOx: N/A 12/13/2006

DEC 1 3 2006

PM: N/A

Karl J. Simon, Acting Director Compliance and Innovative Strategies Division Office of Transportation and Air Quality

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 89, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following nonroad engines, by engine family, more fully described in the documentation required by 40 CFR Part 89 and produced in the stated model year.

This certificate of conformity covers only those new nonroad compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 89 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 89.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 89.129-96 and 89.506-96 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 89. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 89.

This certificate does not cover nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

	ISUZU MOTORS LIMITED	EXECUTIVE ORDER U-R-006-0245 New Off-Road	
		Compression-Ignition Engines	

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2007	7SZXL02.2DNB	2.2	Diesel	5000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
	Direct Diesel Injec	tion	Generator S	et		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD	EXHAUST (g/kW-hr)				OPACITY (%)				
CLASS	CATEGORY		HC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
19 ≤ kW < 37	Tier 2	STD	N/A	N/A	7.5	5.5	0.60	N/A	N/A	N/A
		CERT		-	7.0	2.6	0.30	-		_

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of January 2007.

Annette Hebert, Chief Mobile Source Operations Division