EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET



Model: DCA-400SSI

The engine used in this generator set is certified to comply with United States EPA Tier 3 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA							
Manufacturer	ISUZU				Bore:	5.79 in.	(147 mm)
Model:	6WG1X				Stroke:	6.06 in.	(154 mm)
Type:	4-Cycle, li	n-Line, 6	6-Cylinder,	Diesel	Displacement:	957 cid	(15.7 liters)
Aspiration:	Turbocharg	ged, Char	ge Air Coo	ler, ECM	Compression F	Ratio:	16:1
PERFORMANCE DATA	<u>A</u>						
SAE Gross HP @ 1800 RPM	И (60 Hz)			532			
Rated Load Fuel Consumption	on (gal/Hr)			23.4			
Rated Load Exhaust Gas Flo	ow (cfm)			2306			
Rated Load Exhaust Gas Te	mperature	(°F)		959			
Trated Load Exhaust Gas To		` '					
United States	•		Off-High	way Tier 3	Limits - ≥30)2 BHP ~	<603 BHP
	EPA - I	Mobile		way Tier 3)2 BHP ~ Engine Ei	
United States	EPA - I	Mobile Emis (2.98)*	gr/bhp-h	uirements nr			missions
United States Criteria Pollutant	EPA - I	Mobile Emis (2.98)*	sion Requ	uirements nr	Certified	Engine Engr/bhp-hr	missions
United States Criteria Pollutant NOx (Oxides of Nitrogen as I	EPA - I	Mobile Emis (2.98)*	gr/bhp-h	uirements nr nbined	Certified (2.46)*	Engine Engr/bhp-hr	missions
United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca	EPA - I	Mobile Emis (2.98)* (NOx +	gr/bhp-h	uirements nr nbined	Certified (2.46)* (NOx + HC	gr/bhp-hr	missions ed
United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide)	EPA - I	Emis (2.98)* (NOx + 2.61 0.15	gr/bhp-h - HC)* Com gr/bhp-h	uirements nr nbined nr	(2.46)* (NOx + HC) (0.60)	gr/bhp-hr gr/bhp-hr gr/bhp-hr	missions ed
United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide) PM (Particulate Matter)	NO2) arbons)	Emis (2.98)* (NOx + 2.61 0.15	gr/bhp-h Gr/bhp-h HC)* Com Gr/bhp-h	uirements nr nbined nr	(2.46)* (NOx + HC) (0.60)	gr/bhp-hr gr/bhp-hr gr/bhp-hr	missions ed
United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide) PM (Particulate Matter) EPA Engine Family:	NO2) arbons)	(2.98)* (NOx + 2.61 0.15 ASZX	gr/bhp-h gr/bhp-h HC)* Com gr/bhp-h gr/bhp-h	uirements nr nbined nr	(2.46)* (NOx + HC) (0.60)	gr/bhp-hr gr/bhp-hr gr/bhp-hr	missions ed



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF TRANSPORTATION AND AIR QUALITY WASHINGTON, DC 20460



CERTIFICATE OF CONFORMITY 2010 MODEL YEAR

Manufacturer:

ISUZU MOTORS LIMITED

Engine Family:

ASZXL15.7HXB

Certificate Number:

SZX-NRCI-10-06

Intended Service Class:

NR 7 (225-450)

Fuel Type:

DIESEL

FELs:

NMHC +NOx: N/A

NOx: N/A

PM: N/A

Effective Date:
Date Issued:

8/24/2009 8/24/2009

Karl J. Simon, Director

Compliance and Innovative Strategies Division

Office of Transportation and Air Quality

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 89, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following nonroad engines, by engine family, more fully described in the documentation required by 40 CFR 89 and produced in the stated model year.

This certificate of conformity covers only those nonroad compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 89 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 89.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 89.129-96 and 89.506-96 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to a revocation or suspension of this certificate for reasons specified in 40 CFR Part 89. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 89.

This certificate does not cover nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

ISUZU MOTORS LIMITED

EXECUTIVE ORDER U-R-006-0337 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL ENGINE FAMILY		DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2010	ASZXL15.7HXB	15.7	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Dies Electronic	sel Injection, Turbocharg c Control Module, Exhau	er, Charge Air Cooler, ast Gas Recirculation	Generator Set			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION		EXHAUST (g/kW-hr)					OPACITY (%)		
	STANDARD CATEGORY	:	нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
225 ≤ kW < 450	Tier 3	STD	N/A	N/A	4.0	3.5	0.20	N/A	N/A	N/A
		CERT			3.3	0.8	0.16			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of September 2009.

Annette Hebert, Chief

Mobile Source Operations Division