EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA-56SPX




The engine used in this generator set is certified to comply with United States EPA Tier 3 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA							
Manufacturer:	ISUZU				Bore:	3.76 in.	(95.4 mm)
Model:	BJ-4JJ1X				Stroke:	4.13 in.	(105 mm)
Туре:	4-Cycle, I	n-Line,	4-Cylinder,	Diesel	Displacement:	183 cid	(3.0 liters)
Aspiration:	Turbocharç	Turbocharged, Charge Air Cooler, ECM,			Compression F	17.5:1	
	Exhaust Gr	Exhaust Gas Recirculation					
PERFORMANCE DA	TA						
SAE Gross HP @ 1800 RPM (60 Hz) 98							
Rated Load Fuel Consumption (gal/Hr) 4.1							
Rated Load Exhaust Gas Flow (cfm) 332							
Rated Load Exhaust Gas	Rated Load Exhaust Gas Temperature (°F) 932						
United Sta	tes EPA -	Mobile	e Off-High	way Tier (3 Limits - ≥7	5 BHP ~	<100 BHP
Criteria Pollutant	Emission Requirements			Certified			
NOx (Oxides of Nitrogen a	as NO2)	3.50) gr/bhp-h	ır	2.16	gr/bhp-hr	
HC (Total Unburned Hydr	ocarbons)	(NOx + HC)* Combined		nbined	(NOx + HC	ed	
CO (Carbon Monoxide)	I	3.73	3 gr/bhp-h	ır	0.89	gr/bhp-hr	
PM (Particulate Matter)	!	0.30) gr/bhp-h	ır	0.13	gr/bhp-hr	

EPA Engine Family:	ASZXL03.0JXB
EPA Certificate of Conformance:	SZX-NRCI-10-12
ARB Executive Order:	U-R-006-0327
Effective Date:	Model Year 2010
Note: Engine energian with every	or intoke or expense restriction beyond featory published maximum limits

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.



engine family, more fully described in the documentation required by 40 CFR 89 and produced in the stated model year. This certificate of conformity covers only those nonroad compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 89 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 89, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following nonroad engines, by

Karl J. Simon, Director

Compliance and Innovative Strategies Division Office of Transportation and Air Quality

89 and which are produced during the model year stated on this certificate of Part 89.

9/2/2009

Effective Date:

Date Issued:

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 89.129-96 and 89.506-96 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to a revocation or suspension of this certificate for reasons specified in 40 CFR Part 89. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 89.

This certificate does not cover nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL ENGINE FAMILY		DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2010	ASZXL03.0JXB	3.0	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Dies Electronic	el Injection, Turbocharg Control Module, Exhau	er, Charge Air Cooler, ist Gas Recirculation	Generator	Set		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kW-hr)					OPACITY (%)		
POWER	STANDARD CATEGORY		нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
56 < kW < 75	Tier 3	STD	N/A	N/A	4.7	5.0	0.40	N/A	N/A	N/A
		CERT			2.9	1.2	0.17			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this _____

day of September 2009.

innet Heken

Annette Hebert, Chief Mobile Source Operations Division