## **EXHAUST EMISSION DATA SHEET**

## **MQ POWER GENERATOR SET**

## Model: DCA-56SPX



## The engine used in this generator set is certified to comply with United States EPA Tier 3 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA					
Manufacturer:	ISUZU		Bore:	4.13 in.	(105 mm)
Model:	BJ-4JJ1X		Stroke:	4.92 in.	(125 mm)
Туре:	4-Cycle, In-Line,	4-Cylinder, Diesel	Displacement:	264 cid	(4.3 liters)
Aspiration:	Turbocharged		Compression I	Ratio:	18:1
PERFORMANCE DAT	<u>A</u>				
SAE Gross HP @ 1800 RPM	1 (60 Hz)	97.9			
Rated Load Fuel Consumption					
Rated Load Exhaust Gas Flo					
Rated Load Exhaust Gas Fic Rated Load Exhaust Gas Te	mperature (F)	993			
Rated Load Exhaust Gas Te		993 le Off-Highway Tier	<sup>.</sup> 3 Limits - ≥4	9 BHP -	≤99 BHP
Rated Load Exhaust Gas Te	s EPA - Mobil			9 BHP - Engine Er	
Rated Load Exhaust Gas Te United State	s EPA - Mobil Em	e Off-Highway Tier			
Rated Load Exhaust Gas Te United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca	<b>S EPA - Mobil</b> Em NO2) 3.50	e Off-Highway Tier	Certified 2.16	Engine Er	missions
Rated Load Exhaust Gas Te United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide)	<b>S EPA - Mobil</b> Em NO2) 3.50	e Off-Highway Tier ission Requirements gr/bhp-hr (+ HC)* Combined	Certified 2.16	Engine Er gr/bhp-hr	missions
Rated Load Exhaust Gas Te United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca	s EPA - Mobil Em NO2) 3.50 arbons) (NO>	e Off-Highway Tier ission Requirements gr/bhp-hr (+ HC)* Combined gr/bhp-hr	2.16 (NOx + H0	Engine Er gr/bhp-hr C)* Combin	missions
Rated Load Exhaust Gas Te United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide)	SEPA - Mobil   Em   NO2) 3.50   arbons) (NO)   3.73   0.30	e Off-Highway Tier ission Requirements gr/bhp-hr (+ HC)* Combined gr/bhp-hr	<b>Certified</b> 2.16 (NOx + H0 0.89	Engine Er gr/bhp-hr C)* Combin gr/bhp-hr	missions
Rated Load Exhaust Gas Te United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide) PM (Particulate Matter)	SEPA - Mobil   Em   NO2) 3.50   arbons) (NO>   3.73 0.30   8SZXK4	e Off-Highway Tier ission Requirements gr/bhp-hr + HC)* Combined gr/bhp-hr gr/bhp-hr	<b>Certified</b> 2.16 (NOx + H0 0.89	Engine Er gr/bhp-hr C)* Combin gr/bhp-hr	missions
Rated Load Exhaust Gas Te United States Criteria Pollutant NOx (Oxides of Nitrogen as I HC (Total Unburned Hydroca CO (Carbon Monoxide) PM (Particulate Matter) EPA Engine Family:	SEPA - Mobil   Em   NO2) 3.50   arbons) (NO>   3.73 0.30   8SZXK4	e Off-Highway Tier ission Requirements ) gr/bhp-hr (+HC)* Combined 3 gr/bhp-hr ) gr/bhp-hr O3.0JXB RCI-08-16	<b>Certified</b> 2.16 (NOx + H0 0.89	Engine Er gr/bhp-hr C)* Combin gr/bhp-hr	missions

or with improper service maintenance, may result in higher emission levels.

A MARCHECTUS	UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF TRANSPORTATION AND AIR QUALITY WASHINGTON, DC 20460 CERTIFICATE OF CONFORMITY 2008 MODEL YEAR	TATES. Dates. Dates. STECTOR
Manufacturer: Engine Family: Certificate Number: Intended Service Class: Fuel Type: FELs: Effective Date: Date Issued:	ISUZU MOTORS LIMITED 8SZXL03.0JXB SZX-NRCI-08-16 NR 4 (37-75 KW) DIESEL NMHC+NOx: N/A NOx: N/A PM: N/A 1/11/2008 1/11/2008 Karl J. Simon, Director Compliance and Innovative Strategies Division Office of Transportation and Air Quality	

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 89, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following nonroad engines, by engine family, more fully described in the documentation required by 40 CFR 89 and produced in the stated model year.

This certificate of conformity covers only those nonroad compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 89 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 89.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 89.129-96 and 89.506-96 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to a revocation or suspension of this certificate for reasons specified in 40 CFR Part 89. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 89.

This certificate does not cover nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY DISPLACEMENT (liters)		FUEL TYPE	USEFUL LIFE (hours)		
2008			Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
	el Injection, Turbocharg Control Module, Exhau		Generator S	Set		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kW-hr)				OPACITY (%)			
POWER CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
56 ≤ kW < 75	Tier 3	STD	N/A	N/A	4.7	5.0	0.40	N/A	N/A	N/A
		CERT			2.9	1.2	0.17			~~~

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of January 2008.

Annette Hebert, Chief Mobile Source Operations Division