EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA70USI



The engine used in this generator set is certified to comply with United States EPA Tier 2 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA					
Manufacturer: IS	UZU		Bore:	4.13 in.	(105 mm)
Model: B	B-4JG1T		Stroke:	4.92 in.	(125 mm)
Type: 4-	Cycle Diesel, In-L	Displacement:	264 cid	(4.3 liters)	
Aspiration: T	urbocharged	Compression I	Ratio:	18:1	
PERFORMANCE DATA					
SAE Gross HP @ 1800 RPM	60 Hz)	98.6			
Rated Load Fuel Consumption	(gal/Hr)	4.3			
Rated Load Exhaust Gas Flow	r (cfm)	607			
Rated Load Exhaust Gas Flow Rated Load Exhaust Gas Tem	. ,	607 993			
Rated Load Exhaust Gas Tem	perature (F)		2 Limits - ≥4	19 BHP -	≤99 BHP
Rated Load Exhaust Gas Tem	erature (F)	993		19 BHP - I Engine Ei	
Rated Load Exhaust Gas Tem United States	EPA - Mobile Emis	993 Off-Highway Tier			missions
Rated Load Exhaust Gas Tem United States Criteria Pollutant	EPA - Mobile Emis D2) 5.60	993 Off-Highway Tier sion Requirements	Certified 5.00	l Engine Ei	missions
Rated Load Exhaust Gas Tem United States Criteria Pollutant NOx (Oxides of Nitrogen as N	EPA - Mobile Emis D2) 5.60	993 Off-Highway Tier sion Requirements gr/bhp-hr	Certified 5.00	l Engine Ei gr/bhp-hr	missions ed
Rated Load Exhaust Gas Tem United States Criteria Pollutant NOx (Oxides of Nitrogen as No HC (Total Unburned Hydrocar	perature (F) EPA - Mobile Emis D2) 5.60 pons) (NOx -	993 Off-Highway Tier sion Requirements gr/bhp-hr + HC)* Combined	5.00 (NOx + H0	I Engine Ei gr/bhp-hr C)* Combin	missions ed
Rated Load Exhaust Gas Tem United States Criteria Pollutant NOx (Oxides of Nitrogen as No HC (Total Unburned Hydrocar CO (Carbon Monoxide)	EPA - Mobile Emis D2) 5.60 cons) (NOx - 3.73)	993 Off-Highway Tier sion Requirements gr/bhp-hr + HC)* Combined gr/bhp-hr gr/bhp-hr	Certified 5.00 (NOx + H0 1.12	I Engine Ei gr/bhp-hr C)* Combin gr/bhp-hr	missions ed
Rated Load Exhaust Gas Tem United States Criteria Pollutant NOx (Oxides of Nitrogen as N HC (Total Unburned Hydrocar CO (Carbon Monoxide) PM (Particulate Matter)	EPA - Mobile Emis D2) 5.60 cons) (NOx - 3.73) 0.30 7SZXL04	993 Off-Highway Tier sion Requirements gr/bhp-hr HC)* Combined gr/bhp-hr gr/bhp-hr	Certified 5.00 (NOx + H0 1.12	I Engine Ei gr/bhp-hr C)* Combin gr/bhp-hr	missions ed
Rated Load Exhaust Gas Tem United States Criteria Pollutant NOx (Oxides of Nitrogen as No HC (Total Unburned Hydrocar CO (Carbon Monoxide) PM (Particulate Matter) EPA Engine Family:	EPA - Mobile Emis D2) 5.60 cons) (NOx - 3.73) 0.30 7SZXL04	993 Off-Highway Tier sion Requirements gr/bhp-hr + HC)* Combined gr/bhp-hr gr/bhp-hr .3GTG CI-07-12	Certified 5.00 (NOx + H0 1.12	I Engine Ei gr/bhp-hr C)* Combin gr/bhp-hr	missions ed

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

.

2007 Model Year Certificate of Conformity

Manufacturer:	ISUZU MOTORS LI	MITED		
Engine Family:	7SZXL04.3GTG			
Certificate Number:	SZX-NRCI-07-12			
Intended Service Class:	NR 4 (37-75 KW)			
Fuel Type:	DIESEL			
FELs:	NMHC+NOx: N/A	NOx: N/A	PM:	N/A
Effective Date:	12/13/2006			
Date Issued: DEC 13	2006			
Not	JL-			

Karl J. Simon/Acting Director Compliance and Innovative Strategies Division Office of Transportation and Air Quality

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 89, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following nonroad engines, by engine family, more fully described in the documentation required by 40 CFR Part 89 and produced in the stated model year.

This certificate of conformity covers only those new nonroad compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 89 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 89.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 89.129-96 and 89.506-96 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 89. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 89.

This certificate does not cover nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

Cation	is Environmental Protection	Agency
	RESOURCES	BOARD

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2007	7SZXL04.3GTG	4.3				
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Diesel Injection, Turbocharger			Generator S	et		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD		EXHAUST (g/kW-hr) OPACITY (%)						6)	
	CATEGORY		HC	NOx	NMHC+NOx	C0	PM	ACCEL	LUG	PEAK
56 <u>≤</u> kW < 75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	N/A	N/A	N/A
		CERT	-		6.7	1.5	0.22		_	_

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of January 2007.

Annette Hebert, Chief Mobile Source Operations Division