EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA85USJ



The engine used in this generator set is certified to comply with United States EPA Tier 3 and CARB Mobile Off-Highway emission regulations.

| ENGINE DATA | | | | | | | |
|---------------------------|---------------|--------------------------------------|--------------------|------------|--------------|--|--|
| Manufacturer: | JOHN DEEF | RE | Bore: | 4.17 in. | (106 mm) | | |
| Model: | 4045HF285 | | Stroke: | 5.00 in. | (127 mm) | | |
| Туре: | 4-Cycle Dies | sel, In-Line, 4-Cylinder | Displacement: | 275 cid | (4.5 liters) | | |
| Aspiration: | Turbocharge | ed, Charge Air Cooler, Smoke | Compression Ratio: | | 19:1 | | |
| | Puff Limiter, | f Limiter, Electronic Control Module | | | | | |
| PERFORMANCE DA | TA | | | | | | |
| SAE Gross HP @ 1800 R | PM (60 Hz) | 126 | | | | | |
| Rated Load Fuel Consum | 5.3 | | | | | | |
| Rated Load Exhaust Gas | Flow (cfm) | 612 | | | | | |
| Rated Load Exhaust Gas | Temperature (| °F) 1042 | | | | | |
| | | lahila Off Iliahuwa Tiar | | | | | |
| United Stat | es EPA - N | lobile Off-Highway Tier | | | | | |
| Criteria Pollutant | | Emission Requirements | Certified | l Engine E | missions | | |
| NOx (Oxides of Nitrogen a | as NO2) | 2.98 gr/bhp-hr | 2.54 | gr/bhp-hr | | | |
| HC (Total Unburned Hydro | ocarbons) | (NOx + HC)* Combined | (NOx + H) | C)* Combin | ed | | |

| HC (Total Unburned Hydrocarbons) | (NOx + HC)* Combined | (NOx + HC)* Combined |
|----------------------------------|----------------------|----------------------|
| CO (Carbon Monoxide) | 3.73 gr/bhp-hr | 1.19 gr/bhp-hr |
| PM (Particulate Matter) | 0.22 gr/bhp-hr | 0.19 gr/bhp-hr |
| | | |
| EPA Engine Family: | 9JDXL06.8105 | |
| EPA Certificate of Conformance: | JDX-NRCI-09-17 | |
| ARB Executive Order: | U-R-004-0363 | |
| Effective Date: | Model Year 2009 | |
| | | |

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY OFFICE OF TRANSPORTATION AND AIR QUALITY WASHINGTON, DC 20460

CERTIFICATE OF CONFORMITY 2009 MODEL YEAR

NOx: N/A



Manufacturer: **Engine Family:** Certificate Number: Intended Service Class: Fuel Type: FELs: g/kW-hr Effective Date: Date Issued:

JOHN DEERE POWER SYSTEMS 9JDXL06.8105 JDX-NRCI-09-17 NR 5 (75-130) DIESEL NMHC+NOx: N/A 11/21/2008 11/21/2008

PM: N/A

Karl J. Simon, Director Compliance and Innovative Strategies Division Office of Transportation and Air Quality

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 89, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following nonroad engines, by engine family, more fully described in the documentation required by 40 CFR 89 and produced in the stated model year.

This certificate of conformity covers only those nonroad compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 89 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 89.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 89.129-96 and 89.506-96 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to a revocation or suspension of this certificate for reasons specified in 40 CFR Part 89. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Part 89.

This certificate does not cover nonroad engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

| California Extrinominual Protection Agency AIR RESOURCES BOARD John Deere Power Systems | EXECUTIVE ORDER U-R-004-0363 New Off-Road Compression-Ignition Engines |
|--|--|
|--|--|

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

| MODEL YEAR | ENGINE FAMILY | DISPLACEMENT (liters) | FUEL TYPE | USEFUL LIFE (hours) | |
|-----------------------|---|--|--|-----------------------------------|--|
| 2009 | 9JDXL06.8105 | 4.5, 6.8 | Diesel | 8000 | |
| | FEATURES & EMISSION | | TYPICAL EQUIPMENT A | | |
| Direct Dies Electr | el Injection, Turbocharg onic Control Module, Sn | er, Charge Air Cooler, oke Puff Limiter | Loaders, Tractor, Pump, Compress Industrial Equip | sor, Generator Set, Other ment | |

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

| RATED POWER | EMISSION STANDARD | | EXHAUST (g/kw-hr) OPA | | | | | PACITY (% | ACITY (%) | |
|----------------------|----------------------|------|-----------------------|-----------|----------|-----|------|-----------|-----------|------|
| CLASS | CATEGORY | | нс | NOx | NMHC+NOx | co | PM | ACCEL | LUG | PEAK |
| 75 <u>≤</u> kW < 130 | Tier 3 | STD | N/A | N/A | 4.0 | 5.0 | 0.30 | 20 | 15 | 50 |
| | | CERT | | . | 3.4 | 1.5 | 0.25 | 13 | 3 | 25 |

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of December 2008.

Annette Hebert, Chief Mobile Source Operations Division