## **EXHAUST EMISSION DATA SHEET**

## **MQ POWER GENERATOR SET**

Model: DCA-10SPXU4



## The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

Manufacturer: KUBOTA			Bore:	3.26	in.	(83 mm)			
	D1503					(92.4 mm)			
	4-Cycle, In-Line, 3-Cylinder, Diesel				in. cid	(1.499 liters)			
••	Naturally Aspirated, Indirect Injection				Displacement: 91cid(1.499liters)Compression Ratio:21.6:1				
PERFORMANCE DATA									
SAE Gross HP @ 1800 RPM (60 Hz)									
Rated Load Fuel Consumption (gal/Hr)	7								
Rated Load Exhaust Gas Flow (cfm)	109	)							
Rated Load Exhaust Gas Temperature	(°F) 100	)5							
	(1) 100								
United States EPA - M	lobile Of	United States EPA - Mobile Off-Highway Tier 4 Limits - $11 \le - < 2$							
Criteria Pollutant	Emiss	sion Requirements	Certifie	ed Engi	ine E	missions			
Criteria Pollutant NOx (Oxides of Nitrogen as NO2)	Emiss N/A	sion Requirements gr/bhp-hr	Certifie N/A		i <b>ne E</b> i hp-hr				
				gr/b					
NOx (Oxides of Nitrogen as NO2)	N/A	gr/bhp-hr	N/A	gr/b gr/bl	hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons)	N/A N/A	gr/bhp-hr gr/bhp-hr	N/A N/A	gr/b gr/bl gr/bl	hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined)	N/A N/A N/A	gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A	gr/b gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter)	N/A N/A N/A 4.92	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A 0.82	gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide)	N/A N/A N/A 4.92 0.29	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A 0.82 0.08	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx	N/A N/A 4.92 0.29 N/A	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A 0.82 0.08 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx EPA Engine Family: FK	N/A N/A 4.92 0.29 N/A 5.59	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A 0.82 0.08 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx EPA Engine Family: FK EPA Certificate of Conformance: FK	N/A N/A 4.92 0.29 N/A 5.59 BXL01.5FC	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	N/A N/A N/A 0.82 0.08 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr				
NOx (Oxides of Nitrogen as NO2) HC (Total Unburned Hydrocarbons) NOx + HC (Combined) CO (Carbon Monoxide) PM (Particulate Matter) NMHC (Non-Methane Hydrocarbons) NMHC + NOx EPA Engine Family: FK EPA Certificate of Conformance: FK ARB Executive Order: U-F	N/A N/A 4.92 0.29 N/A 5.59 BXL01.5FC	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr CC CC-023	N/A N/A N/A 0.82 0.08 N/A	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr				

OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105	Compliance Division Date: 1/09/2015	e <19 Freatment Devices Installed te Design Modification	Parsuar to Section 213 of the Clean Air Art (42 U.S.C. section 7547) and 40 CTR Part (1030, and subject to the terms and conditions presert the following engines. by engines that conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines. by engines family, more fully described in the documentation required by 40 CTR Part (1039 and which are possible transmission in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CTR Part (1039 and which are postible requirements and which represent the following engines. by engines that applied to those engines described in the documentation required by 40 CTR Part (1039 and which are postible of the state model year stated on this certificate that the manufacturer shall consent to all inspections described in 40 CTR Part (103). If is also a term of this certificate that the manufacturer shall consent to all inspections described in 40 CTR Part (103). If is also a term of this certificate that the manufacturer shall consent to all inspections described in 40 CTR Part (103). If is also a term of this certificate may be revoled or suspended or transformers are accumentation required by the content of such a warrant or court order. Fainte to comply with the requirements of such a countert order may lead to a count order may lead to a main or order order may lead to a count order. Fainte to comply with the requirements of such a counter order may lead to a main or order order may lead to a mature order order or superst
NMENTAL PROTECTION AGENCY MODEL YEAR TE OF CONFORMITY (E CLEAN AIR ACT	Effective Date: 01/09/2015 Expiration Date: 12/31/2015 Complia	Mobile/Stationary Indicator: MobileEmissions Power Category: 8<=kW<19	(039, and subject to the terms and conditions prescribed quirements and which represent the following engines, conform in all material respects to the design specificat year stated on this certificate of the said manufacturer, a ded in 40 CFR 1068 and authorized in a warrant or court specified in 40 CFR Part 1039. It is also a term of this or introduction, into commerce in the U.S. prior to the e
UNITED STATES ENVIRONMENTAL PROTECT 2015 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT	Kubota Corporation (U.S. Manufacturer or Importer) FKBXL01.5FCC-023	Engine Manufacturer CC	Parsuar to Section 213 of the Clain Air Act (42 U.S.C. section 7547) and 40.CFR Part 1039, and subject to the terms and conditions prescribed in these provisions, this certificate of conformity issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines. by engine family, more fully described in the docu requirements of which represent the following engines. by an of CFR Part 1039 and produced in the stated model year. This certificate of conformity evores only these new constraint or equire engines which owners in a marine of the scaling regimes. by an of CFR Part 1039 and which are produced in the documentation required by 40 CFR Part 1039 and which are produced in the applied to those engines described in the documentation required by 40 CFR Part 1039 and which are produced in the documentation required by 40 CFR Part 1039 and which are polaring the model years studied much respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and which are polaring the model years studied much respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and which are polaring the much are produced in the documentation recourt offer may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 1039. It is also a term of this certificate may be revoked or summat or court offer may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 1039. This scrift are the market are reasons specified in 40 CFR Part 1039. It is also a term of this certificate may be revoked or summat or court offer may reasons specified in 40 CFR Part 1039. This are the fourther the area of the certificate for easons specified in 40 CFR Part 1039. This is a summat or court offer in the documentation, the constance in the U.S. prior to the effective date of the certificat
HILL STORES	Certificate Issued To: Kubota Corporatio (U.S. Manufacturer or Certificate Number: FKBXL01.SFCC-023	Model Year: 2015 Manufacturer Type: Original Engine Manufacturer Engine Family: FKBXL015FCC	Pursuant to Section 213 of the C issued with respect to the test er required by 40 CFR Part 1039 a This certificate of conformity cc documentation required by 40 C It is a term of this certificate tha warrant or court order may lead rendered void <i>ab initio</i> for other This certificate does not cover e.

California Environmental Protection Agency		EXECUTIVE ORDER U-R-025-0648
Ø≌ Air Resources Board	KUBOTA Corporation	New Off-Road
- All Masourcas Board		Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2015	FKBXL01.5FCC	1.500	Diesel	3000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
	Indirect Diesel Inje	ection	Generator Set, Light Tower, Welder, Wood Chipper			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION		EXHAUST (g/kw-hr)				OPACITY (%)				
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK	
8 <u>≤</u> kV	W < 19	Tier 4 Final	STD	N/A	N/A	7.5	6.6	0.40	N/A	N/A	N/A
			CERT		<b>*</b>	6.0	1.1	0.11			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_

day of October 2014.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division