EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET





The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA

Manufacturer:ISUZUBore:4.52in.(115mm)Model:4HK1XStroke:4.92in.(125mm)Type:4-Cycle, In-Line, 4-Cylinder, DieselDisplacement: 317cid(5.2liters)

Aspiration: Turbocharger, ECM, EGR, DOC, SCR Electronic Direct Compression Ratio: 16.5:1

Injection, Charge Air Cooler

PERFORMANCE DATA

SAE Gross HP @ 1800 RPM (60 Hz) Rated 170.8

Load Fuel Consumption (gal/Hr) Rated 7.11

Load Exhaust Gas Flow (cfm) Rated Load 512

Exhaust Gas Temperature (°F) 658

United States EPA - Mobile Off-Highway Tier 4 Limits -

100≤ ~ ≤174 BHP

Date: 05/05/2020

Criteria Pollutant	Emis	sion Requirements	Certified Engine Emissions		
NOx (Oxides of Nitrogen as NO2)	0.298	gr/bhp-hr	0.089	gr/bhp-hr	
HC (Total Unburned Hydrocarbons)	N/A	gr/bhp-hr	N/A	gr/bhp-hr	
NOx + HC (Combined)	N/A	gr/bhp-hr	N/A	gr/bhp-hr	
CO (Carbon Monoxide)	3.728	gr/bhp-hr	0.074	gr/bhp-hr	
PM (Particulate Matter)	0.014	gr/bhp-hr	0.014	gr/bhp-hr	
NMHC (Non-Methane Hydrocarbons)	0.141	gr/bhp-hr	0.007	gr/bhp-hr	
NMHC + NOx	N/A	gr/bhp-hr	N/A	gr/bhp-hr	

EPA Engine Family: LSZXL05.2RXB

EPA Certificate of Conformance: LSZXL05.2RXB-010

ARB Executive Order: U-R-006-0484

Effective Date: Model Year 2020

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 2020 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT

OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105

Certificate Issued To: Isuzu Motors Limited

(U.S. Manufacturer or Importer)

Certificate Number: LSZXL05.2RXB-010

Effective Date: 07/03/2019

Expiration Date: 12/31/2020

Issue Date: 07/03/2019

Revision Date:

Model Year: 2020

Manufacturer Type: Original Engine Manufacturer

Engine Family: LSZXL05.2RXB

Mobile/Stationary Indicator: Mobile Emissions Power Category: 56<=kW<130

Fuel Type: Diesel

After Treatment Devices: Diesel Oxidation Catalyst, Ammonia Slip Catalyst, Selective Catalytic

Reduction

Non-after Treatment Devices: Electronic Control, Electronic/Electric EGR - Cooled

Byron J. Bunker, Division Director

Compliance Division

Pursuant to Section 213 of the Clean Air Act (42 U.S.C. section 7547) and 40 CFR Part 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more fully described in the documentation required by 40 CFR Part 1039 and produced in the stated model year.

This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Part 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Part 1039.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Part 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void *ab initio* for other reasons specified in 40 CFR Part 1039.

This certificate does not cover engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.



ISUZU MOTORS LIMITED

EXECUTIVE ORDER U-R-006-0484

New Off Read
Compression-Ignition Engines

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)	
2020	LSZXL05.2RXB	5.193	Diesel	8000	
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT A	APPLICATION	
Coole Recirculation	ic Control Module, Turbo ir, Electronic Direct Inject on, Diesel Oxidation Cata uction-Urea, Ammonia Ox	on, Exnaust Gas lvst. Selective Catalyst	Generator		

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
CLASS	CATEGORY		NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.01	0.12		0.05	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this Z

day of June 2019.

Allen Leons, Chief

Emissions Compliance, Automotive Regulations and Science Division

ENGINE MODEL SUMMARY

ATTACHMENT

CARB EO:

U-R-006-0484 05'21/19

CATE: C

ENGINE FAMILY	EVGINE CODE	EIGINE	BHP@RPM (SAE Gross)	FUEL RA'E: mm3/stroke @peak HP	FUEL RA'E: bs/hr @peak IP	FORCUE@RPM bs ft	FUEL RATE: mm3/stroke @peat TORQUE	FUEL RA'E: Iss/hr @peat TORQUE
SZXL05.2RXB	4HK1/CDRBB-01	BR4HKIX	170.8 @ 1800 (127.4kW)	144.7	57.9	498.€ @ 1800 (676Nm)	144.7	57.9

ENGINE FAMILY	ENGINE CODE	ENGINE NODEL	EMISSION CONTROL DEVICE PerSAE J1930
LSZXL05.1RXB	4HK1KDR8B-01	BR4HK1X	ECM TC, CAC, DFI, EGR, D0C, \$CR-JJ, AMOX