EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA-125SSJU4I



The engine used in this generator set is certified to comply with United States EPA Tier 4i and CARB Mobile Off-Highway emission regulations.

ENGINE D								
Manufacturer:	John Deere			Bore:	4.17	in.	(106	mm)
Model:	4045HFG93			Stroke:	5.0	in.	(127	mm)
Туре:	4- Cycle, in-line, 4 Cylinde	er, Diesel		Displacement	:274	cid	(4.5	liters)
Aspiration:	Turbocharger Air Cooler ECM, EGR, DOC, PTO			Compression	Ratio:		16.5	:1
PERFORMA	NCE DATA							
SAE Gross HF	9 @ 1800 RPM (60 Hz)	16	6					
Rated Load Fu	el Consumption (gal/Hr)	7.3	3					
Rated Load Ex	chaust Gas Flow (cfm)	53	9					
Rated Load Ex	chaust Gas Temperature	(°F) 87	1					
Un	ited States EPA - M	obile O	ff-Highway Tier	4i Limits -			75 ≤	~ <174 BHP
	ited States EPA - M eria Pollutant		ff-Highway Tier	4i Limits -	d Engi			
Crite			• •				missic	
Crite NOx (Oxides o	eria Pollutant	Emis	sion Requirements	Certifie	gr/b	ine Ei	missic	
Crite NOx (Oxides o	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons)	Emis 2.53	sion Requirements gr/bhp-hr	Certifie 2.31	gr/b gr/bl	i ne Ei hp-hr	missic	
Crite NOx (Oxides o HC (Total Unb	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined)	Emis 2.53 N/A	sion Requirements gr/bhp-hr gr/bhp-hr	2.31 N/A	gr/b gr/bl gr/bl	i ne Ei hp-hr hp-hr	missic	
Crite NOx (Oxides o HC (Total Unb NOx + HC (Co	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide)	Emis 2.53 N/A N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr	2.31 N/A N/A	gr/b gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr	missic	
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulat	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide)	Emis 2.53 N/A N/A 3.72	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	2.31 N/A N/A 0.07	gr/b gr/bl gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr hp-hr	missic	
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulat	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) ombined) Monoxide) e Matter)	Emis 2.53 N/A N/A 3.72 0.0149	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 2.31 N/A N/A 0.07 0.007	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr	missic	
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulat NMHC (Non-M	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Monoxide) e Matter) ethane Hydrocarbons)	Emis: 2.53 N/A N/A 3.72 0.0149 0.141	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 2.31 N/A N/A 0.07 0.007 0	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr	missic	
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulat NMHC (Non-M NMHC + NOx EPA Engine F	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) ombined) Monoxide) e Matter) ethane Hydrocarbons) amily: EJE	Emis: 2.53 N/A N/A 3.72 0.0149 0.141 N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 2.31 N/A N/A 0.07 0.007 0	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr	missic	
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulat NMHC (Non-M NMHC + NOx EPA Engine F	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) ombined) Monoxide) e Matter) ethane Hydrocarbons) amily: EJI e of Conformance: EJI	Emis: 2.53 N/A N/A 3.72 0.0149 0.141 N/A DXL06.821	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr 10	Certifie 2.31 N/A N/A 0.07 0.007 0	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr	missic	
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulat NMHC (Non-M NMHC + NOx EPA Engine F EPA Certificat	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) ombined) Monoxide) e Matter) ethane Hydrocarbons) amily: EJI e of Conformance: EJI e Order: U-F	Emis: 2.53 N/A N/A 3.72 0.0149 0.141 N/A DXL06.821	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr 10 10-020 87	Certifie 2.31 N/A N/A 0.07 0.007 0	gr/b gr/bl gr/bl gr/bl gr/bl gr/bl	i ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr	missic	

LIGHT OF A CENCY OF A CHILD OF A	UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 2014 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT OF 1990	VTES ENVIRONMENTAL PROTECTIC 2014 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT OF 1990	ION AGENCY 0	OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105	<u></u>
T0:	Deere & Company (U.S. Manufacturer or Importer) EJDXL06.8210-020	Effective Date: 09/30/2013 Expiration Date: 12/31/2014	Byron J.Bunker Complian	J Bunker, Division Director Compliance Division Date:	
Model Year: 2014 Manufacturer Type: Original Engine Manufacturer Engine Family: EJDXL06.8210	ial Engine Manufacturer 210	Mobile Emissi Fuel T After 1 Non-af Treatm Treatm	Mobile/Stationary Indicator: Both Emissions Power Category: 75<=kW<130 Fuel Type: Diesel After Treatment Devices: PTOX-DPF-Act Non-after Treatment Devices: Electronic/F Treatment Device Installed, Electronic Cont FELs: PM 0.01 g/kW-hr, NOX 3.2 g/kW-hr	Mobile/Stationary Indicator: Both Emissions Power Category: 75<=kW<130 Fuel Type: Diesel After Treatment Devices: PTOX-DPF-Active, Diesel Oxidation Catalyst Non-after Treatment Devices: Electronic/Electric EGR - Cooled, Non-standard Non-After Treatment Device Installed, Electronic Control, Smoke Puff Limiter, Engine Design Modification FELs: PM 0.01 g/kW-hr, NOX 3.2 g/kW-hr	lion
Pursuant to Section 111 and Section 213 of the Clea certificate of conformity is hereby issued with respe fully described in the documentation required by 40 This certificate of conformity covers only those new documentation required by 40 CFR Parts 60 and 10. It is a term of this certificate that the manufacturer s warrant or court order may lead to revocation or sus suspended or rendered void <i>ab initio</i> for other reaso This certificate of conformity is conditional upon co provisions may render this certificate void <i>ab initio</i> . The actual engine power may lie outside the limits c	in Air Act (42 U.S.C. sections cet to the test engines which hav CFR Parts 60 and 1039 and pr compression-ignition engines of and which are produced dur hall consent to all inspections of pension of this certificate for re pension of this certificate for re is specified in 40 CFR Parts 66 for sale, or introduced, or deliv mpliance of said manufacturer of the Emissions Power Categor	I and 7547) and 40 CFR Pa been found to conform to ap buced in the stated model year aich conform in all material ich conform in all material g the model year stated on th cribed in 40 CFR Par and 1039. The averaging, banking ar the the averaging, banking ar the the averaging, banking ar thown above. See the certific	arts 60 and 1039, and subject to the pplicable requirements and which ur. respects to the design specificatic ins certificate of the said manufac authorized in a warrant or court o ts 60 and 1039. It is also a term of authorized in the U.S. prior to the eff and trading provisions of 40 CFR F and trading provisions of 40 CFR F cate application for details.	14.11 and 7547) and 40 CFR Parts 60 and 1039, and subject to the terms and conditions prescribed in those provisio c been found to conform to applicable requirements and which represent the following engines, by engine family, toduced in the stated model year. which conform in all material respects to the design specifications that applied to those engines described in the ing the model year. which conform in all material respects to the design specifications that applied to those engines described in the ing the model year. which conform in all material respects to the said manufacturer, as defined in 40 CFR Parts 60 and 1039. tescribed in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of success specified in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of a and 1039. It is also a term of this certificate that this certificate may be revoked and 1039. It is also a term of this certificate that this certificate may be revoked and 1039. ered for introduction, into commerce in the U.S. prior to the effective date of the certificate. with the averaging, banking and trading provisions of 40 CFR Part 1039, Subpart H. Failure to comply with these y shown above. See the certificate application for details.	this a state of this a state of this a state of the state

And the second sec	California Environmental Protection Agency	JOHN DEERE POWER SYSTEMS	EXECUTIVE ORDER U-R-004-0487 New Off-Road	
1			Compression-Ignition Engines	

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE USEFUL LIFE (hours)				
2014	EJDXL06.8210	4.5, 6.8	Diesel 8000				
SPECIAL	FEATURES & EMISSION C	ONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Injectio	r Cooler, Oxidation Catal n, Electronic Control Mod Ilation, Periodic Trap Oxic Limiter, Turbochar	ule, Exhaust Gas dizer, Smoke Puff	Loaders, Tractor, Dozer, Pump, Compressor, Generator Set, Other Industrial Equipment				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD			EXHAUST (g/kw-hr)				OPACITY (%)		
	CATEGORY		NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
56 <u>≤</u> kW < 130	Interim Tier 4 / ALT NOx	STD	0.19	3.4	N/A	5.0	0.02	N/A	N/A	N/A
		FEL		3.2			0.01			
		CERT	0.000	3.1	de an	0.1	0.01	an ar	94 M.	**

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has complied with the more stringent set of standards from the various power categories in conformance with Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for 2008 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-C" adopted October 20, 2005 and last amended October 25, 2012.

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of January 2014.

Erik White, Chief

Mobile Source Operations Division