EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA-150SSJU4F



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA

Manufacturer:John DeereBore:4.17 in.(106 mm)Model:6068HFG08Stroke:5.0 in.(127 mm)Type:4- Cycle, in-line, 6 Cylinder, DieselDisplacement: 414 cid (6.8 liters)

Aspiration: Turbocharger Air Cooler. Electronic Direct Injection Cor

ECM, EGR, DOC, SCR

Compression Ratio: 17.2:1

PERFORMANCE DATA

SAE Gross HP @ 1800 RPM (60 Hz) 240
Rated Load Fuel Consumption (gal/Hr) 8.4
Rated Load Exhaust Gas Flow (cfm) 805
Rated Load Exhaust Gas Temperature (°F) 729

United States EPA - Mobile Off-Highway Tier 4 Limits -	174≤ ~ ≤751 BHP
--	-----------------

Criteria Pollutant	Emissi	on Requirements	Certified Engine Emissions		
NOx (Oxides of Nitrogen as NO2)	0.298	gr/bhp-hr	0.119	gr/bhp-hr	
HC (Total Unburned Hydrocarbons)	N/A	gr/bhp-hr	N/A	gr/bhp-hr	
NOx + HC (Combined)	N/A	gr/bhp-hr	N/A	gr/bhp-hr	
CO (Carbon Monoxide)	2.60	gr/bhp-hr	0.02	gr/bhp-hr	
PM (Particulate Matter)	0.014	gr/bhp-hr	0.002	gr/bhp-hr	
NMHC (Non-Methane Hydrocarbons)	0.141	gr/bhp-hr	0.022	gr/bhp-hr	
NMHC + NOx	N/A	gr/bhp-hr	N/A	gr/bhp-hr	

EPA Engine Family: FJDXL06.8302

EPA Certificate of Conformance: FJDXL06.8302-014

ARB Executive Order: U-R-004-0496

Effective Date: Model Year 2015

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.

Date: 3/10/2015



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 2015 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT

OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105

Certificate Issued To: Deere & Company (U.S. Manufacturer or Importer)
Certificate Number: FJDXL06.8302-014

Effective Date:
12/03/2014
Expiration Date:
12/31/2015

Byron J. Bunker, Division Director

12/03/2014
12/03/2014

Revision Date:

Model Year: 2015

Manufacturer Type: Original Engine Manufacturer

Engine Family: FJDXL06.8302

Compusince Div

Fuel Type: Diesel

Mobile/Stationary Indicator: Both Emissions Power Category: 130<kW<=560 After Treatment Devices: PTOX-DPF-Active, Selective Catalytic Reduction, Ammonia Slip Catalyst, Diesel Oxidation Catalyst

Non-after Treatment Devices: Electronic/Electric EGR - Cooled, Non-standard Non-After Treatment Device Installed, Electronic Control

FELS: PM 0.01 g/kW-hr

Pursuant to Section 111 and Section 213 of the Clean Air Act (42 U.S.C. sections 7411 and 7547) and 40 CFR Parts 60 and 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more fully described in the documentation required by 40 CFR Parts 60 and 1039 and produced in the stated model year.

This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Parts 60 and 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Parts 60 and 1039. It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void ab initio for other reasons specified in 40 CFR Parts 60 and 1039.

This certificate does not cover engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

This certificate of conformity is conditional upon compliance of said manufacturer with the averaging, banking and trading provisions of 40 CFR Part 1039, Subpart H. Failure to comply with these provisions may render this certificate void ab initio.

The actual engine power may lie outside the limits of the Emissions Power Category shown above. See the certificate application for details.

JOHN DEERE POWER SYSTEMS

EXECUTIVE ORDER U-R-004-0496 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours) 8000		
2015	FJDXL06.8302	4.5, 6.8	Diesel			
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS		TYPICAL EQUIPMENT APPLICATION				
Charge Air Cooler, Oxidation Catalyst, Electronic Direct Injection, Electronic Control Module, Exhaust Gas Recirculation, Periodic Trap Oxidizer, Turbocharger, Selective Catalytic Reduction-Urea, Ammonia Oxidation Catalyst			Tractor, Loaders, Dozer, Pump, Compressor, Generator S			

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED EMISSION POWER STANDARD CLASS CATEGORY		***************************************	EXHAUST (g/kw-hr)				OPACITY (%)			
	CATEGORY		NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560 Tier 4	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		FEL			en e-		0.01			
- Andrews		CERT	0.03	0.16	de No.	0.03	0.003			***

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of October 2014.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division