EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA-300SSJU4F



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

Manufacturer:	John Deere			Bore:	4.64	in.	(118	mm)
Model:	6090HFG09	Stroke:	5.35	in.	`	, mm)		
Туре:	4- Cycle, in-line, 6 Cylinde	Displacement	: 549.2	cid	、 (9.0	liters)		
Aspiration:	Turbocharger Air Cooler. ECM, EGR, DOC, SCR	Compression Ratio: 16.0:1						
PERFORMA	NCE DATA							
SAE Gross HP	@ 1800 RPM (60 Hz)	43	7					
Rated Load Fu	el Consumption (gal/Hr)	17	.2					
Rated Load Ex	haust Gas Flow (cfm)	14	48					
Rated Load Ex	haust Gas Temperature	(⁰F) 77	5					
	•	. ,						
Un	ited States EPA - M	lobile O	ff-Highway Tier 4	Limits -		1	74 ≤	~ <751 BH
	ited States EPA - M eria Pollutant		ff-Highway Tier 4		ed Engi			
Crite								
Crite NOx (Oxides o	eria Pollutant	Emis	sion Requirements	Certifie	gr/b	ne Eı		
Crite NOx (Oxides c	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons)	Emis 0.298	sion Requirements gr/bhp-hr	Certifie 0.104	gr/bl gr/bl	ne Ei hp-hr		
Crite NOx (Oxides o HC (Total Unb	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined)	Emis 0.298 N/A	sion Requirements gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A	gr/bł gr/bł gr/bł	ne Ei hp-hr np-hr		
Crite NOx (Oxides o HC (Total Unb NOx + HC (Co	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide)	Emis 0.298 N/A N/A	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A N/A	gr/bl gr/bł gr/bł gr/bł	ne Ei hp-hr np-hr np-hr		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide)	Emis 0.298 N/A N/A 2.60	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A N/A 0.029	gr/bl gr/bł gr/bł gr/bł gr/bł	ne Ei hp-hr np-hr np-hr np-hr		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide) e Matter)	Emis 0.298 N/A N/A 2.60 0.014	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A N/A 0.029 0.002	gr/bl gr/bł gr/bł gr/bł gr/bł	ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr		
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide) e Matter) ethane Hydrocarbons)	Emis 0.298 N/A N/A 2.60 0.014 0.141	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A N/A 0.029 0.002 0.002	gr/bl gr/bł gr/bł gr/bł gr/bł gr/bł	ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons) amily: FJ[Emis 0.298 N/A N/A 2.60 0.014 0.141 N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A N/A 0.029 0.002 0.002	gr/bl gr/bł gr/bł gr/bł gr/bł gr/bł	ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide) e Matter) ethane Hydrocarbons) amily: FJI e of Conformance: FJI	Emis 0.298 N/A 2.60 0.014 0.141 N/A	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.104 N/A N/A 0.029 0.002 0.002	gr/bl gr/bł gr/bł gr/bł gr/bł gr/bł	ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr		
Crite NOx (Oxides of HC (Total Unbe NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa EPA Certificate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide) e Matter) ethane Hydrocarbons) amily: FJI e of Conformance: FJI e Order: U-F	Emis 0.298 N/A 2.60 0.014 0.141 N/A DXL09.030	sion Requirements gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr 01 01-016 95	Certifie 0.104 N/A N/A 0.029 0.002 0.002	gr/bl gr/bł gr/bł gr/bł gr/bł gr/bł	ne Ei hp-hr hp-hr hp-hr hp-hr hp-hr hp-hr		

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 2015 MODEL YEAR CERTIFICATE OF CONFORMITY WITH THE CLEAN AIR ACT WITH THE CLEAN AIR ACT	npany Effective Date: Issue Date: uner or Importer) 12/03/2014 016 Expiration Date: 12/31/2015 Byron J Bunker, Division Director N/A	Manufacturer Mobile/Stationary Indicator: Both Emissions Power Category: 130 <kw<=560< td=""> Fuel Type: Diesel After Treatment Devices: PTOX-DPF-Active, Selective Catalytic Reduction, Ammonia Slip Catalyst, Diesel Oxidation Catalyst Non-after Treatment Devices: Electronic/Electric EGR - Cooled, Non-standard Non-After Treatment Device Installed, Electronic Control FELs: PM 0.01 g/kW-hr</kw<=560<>	Pursuant to Section 111 and Section 213 of the Clean Air Act (42 U.S.C. sections 7411 and 7547) and 40 CFR Parts 60 and 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines. by engue family, more fully described in the documentation required by 40 CFR Parts 60 and 1039 and produced in the stated model year. This certificate of the documentation required by 40 CFR Parts 60 and 1039 and which are processing to the documentation required by 40 CFR Parts 60 and 1039 and which are produced in the stated model year. This certificate of the documentation required by 40 CFR Parts 60 and 1039 and which are produced uning the model year. This certificate of the said manufacturer is defined in 40 CFR Parts 60 and 1030. It is also a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR Parts 60 and 1030. It is also a term of this certificate may be revoked or supersion of this certificate for trestoms specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate may be revoked or supersion of this certificate for trestom specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate may be revoked or supersion of this certificate for teasons specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate may be revoked or supersion of this certificate for teasons specified in 40 CFR Parts 60 and 1039. This is a term of this certificate in the certificate may be revoked or supersion of the other reasons specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate. The certificate may be revoked or supersion of the other reasons specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate. This certificate conformation to readered year to compare to a suprised for the other reasons specified in 40 CFR P
UNITED STATES EN UNITED STATES EN UNITED STATES EN CERTI	Certificate Issued To: Deere & Company (U.S. Manufacturer or Importer) Certificate Number: FJDXL09.0301-016	Model Year: 2015 Manufacturer Type: Original Engine Manufacturer Engine Family: FJDXL09.0301	Pursuant to Section 111 and Section 213 of the Clean Air Act (42 U.S.C. sections 7411 and 7. certificate of conformity is hereby issued with respect to the test engines which have been fou fully described in the documentation required by 40 CFR Parts 60 and 1039 and produced in This certificate of conformity covers only those new compression-ignition engines which con documentation required by 40 CFR Parts 60 and 1039 and which are produced during the mo documentation required by 40 CFR Parts 60 and 1039 and which are produced during the mo this a term of this certificate that the manufacturer shall consent to all inspections described in warrant or court order may lead to revocation or suspension of this certificate for reasons spec suspended or rendered void <i>ab initio</i> for other reasons specified in 40 CFR Parts 60 and 1039. This certificate does not cover engines sold, offered for sale, or introduced, or delivered for in This certificate of conformity is conditional upon compliance of said manufacturer with the av provisions may render this certificate void <i>ab initio</i> .

California Environmental Protection Agency	JOHN DEERE POWER SYSTEMS	EXECUTIVE ORDER U-R-004-0495 New Off-Road
O Air Resources Board		Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2015	FJDXL09.0301	9.0	Diesel	8000			
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT	APPLICATION			
Injectior Recircula	Cooler, Oxidation Cata n, Electronic Control Mo ation, Periodic Trap Oxic Catalytic Reduction-Urea Catalyst	dule, Exhaust Gas lizer, Turbocharger,	Tractor, Loaders, Dozer, Pump, Compressor, Generator S				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS 130 ≤ kW ≤ 560	EMISSION STANDARD CATEGORY Tier 4 Final		EXHAUST (g/kw-hr)					OPACITY (%)							
			NMHC	NOx	NMHC+NOx	co	РМ	ACCEL	LUG	PEAK					
		Tier 4 Final	Tier 4 Final	i0 Tier 4 Final	Tier 4 Final	Tier 4 Final	STD	D 0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
			FEL			÷ =		0.01							
		CERT	0.003	0.14		0.04	0.004								

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

2214 day of October 2014.

Varence

Annètte Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division