EXHAUST EMISSION DATA SHEET

MQ POWER INDUSTRIAL GENERATOR SET



Model: KD350V

The engine used in this generator set is certified to comply with United States EPA Tier 2 and CARB Mobile Off-Highway emission regulations.

ENGINE DATA

Make/Model:VOLVO ~ TAD1241GEBore:5.16 in.(131 mm)Type:4-Cycle, In-Line, 6-Cylinder, DieselStroke:5.91 in.(150 mm)Aspiration:Turbocharged, Charge Air CoolerDisplacement:740 cid(12.1 liters)

Electronic Control Module Compression Ratio: 18.5:1

PERFORMANCE DATA

SAE Gross HP @ 1800 RPM (60 Hz) 527
Rated Load Fuel Consumption (gal/Hr) 23.8
Rated Load Exhaust Gas Flow (cfm) 2543
Rated Load Exhaust Gas Temperature (F) 914

United States EPA - Mobile Off-Highway Tier 2 Limits - ≥302 BHP- ≤602 BHP		
Criteria Pollutant	Emission Requirements	Certified Engine Emissions
NOx + NMHC (*Combined)	(*4.77) gr/bhp-hr	(*4.33) gr/bhp-hr
CO (Carbon Monoxide)	2.61 gr/bhp-hr	0.52 gr/bhp-hr
PM (Particulate Matter)	0.15 gr/bhp-hr	0.11 gr/bhp-hr

EPA Engine Family: 4VPXL12.1ACB

EPA Certificate of Conformance: VPX-NR7-04-04

Effective Date: Year 2004

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.