## **EXHAUST EMISSION DATA SHEET**

## **MQ POWER INDUSTRIAL GENERATOR SET**



Model: KD400V

The engine used in this generator set is certified to comply with United States EPA Tier 2 and CARB Mobile Off-Highway emission regulations when tested per ISO 8178 D2.

**ENGINE DATA** 

Make/Model:VOLVO ~ TAD1242GEBore:5.16 in.(131 mm)Type:4-Cycle, In-Line, 6-Cylinder, DieselStroke:5.91 in.(150 mm)Aspiration:Turbocharged, AftercooledDisplacement:740.2 cid(12 liters)

Compression Ratio: 17.5:1

**PERFORMANCE DATA** 

SAE Gross HP @ 1800 RPM (60 Hz) 602
Rated Load Fuel Consumption (gal/Hr) 28.4
Rated Load Exhaust Gas Flow (cfm) 3002
Rated Load Exhaust Gas Temperature (F) 1049

| United States EPA - Mobile Off-Highway Tier 2 Limits - ≥302 BHP- ≤602 BHP |                       |                            |
|---|-----------------------|----------------------------|
| Criteria Pollutant  | Emission Requirements | Certified Engine Emissions |
| (NOx + NMHC) Combined   | 4.77 gr/bhp-hr        | 3.90 gr/bhp-hr             |
| CO (Carbon Monoxide)  | 2.61 gr/bhp-hr        | 0.50 gr/bhp-hr             |
| PM (Particulate Matter)   | 0.15 gr/bhp-hr        | 0.11 gr/bhp-hr             |

EPA Engine Family: 1VPXL12.1ACB

EPA Certificate of Conformance: VPXL-NRCI-01-11

Effective Date: Year 2001

Note: Engine operation with excessive air intake or exhaust restriction beyond factory published maximum limits, or with improper service maintenance, may result in higher emission levels.