EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: SG1400C4F/P



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

Manufacturer:	Cummins			Bore:	4.21	in.	(107	mm)		
Model:	QSB7-G9			Stroke:	4.88	in.	(124	mm)		
Туре:	4-Cycle, In-Line, 6-cylinde	er, Diesel		Displacement	: 409	cid	(6.7	liters)		
Aspiration:	Electric Direct Injection, T Cooled, ECM, EGR, DOC		ged, Charged Air	Compression Ratio: 17.3:1						
PERFORMA	NCE DATA									
SAE Gross HP	2 @ 1800 RPM (60 Hz)	28	2							
Rated Load Fu	el Consumption (gal/Hr)	13	5.5							
Rated Load Ex	haust Gas Flow (cfm)	10	38							
Rated Load Ex	haust Gas Temperature	(°F) 79	5							
Un	ited States EPA - M	obile O	ff-Highway Tier 4	Limits -		:	≤174	~ <751 BH		
	ited States EPA - M eria Pollutant		ff-Highway Tier 4	Limits -	ed Eng			-		
Crite							missio	-		
Crite NOx (Oxides o	eria Pollutant	Emis	sion Requirements	Certifie	gr/b	ine E	missio	-		
Crite NOx (Oxides o	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons)	Emis 0.298	sion Requirements gr/bhp-hr	Certifie 0.141	gr/b gr/b	i ne E hp-hr	missio	-		
Crite NOx (Oxides o HC (Total Unb	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined)	Emis 0.298 N/A	sion Requirements gr/bhp-hr gr/bhp-hr	Certific 0.141 N/A	gr/b gr/b gr/b	i ne E hp-hr hp-hr	missio	-		
Crite NOx (Oxides o HC (Total Unb NOx + HC (Co	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide)	Emis 0.298 N/A N/A	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	0.141 N/A N/A	gr/b gr/b gr/b gr/b	i ne E hp-hr hp-hr hp-hr	missio	-		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide)	Emis 0.298 N/A N/A 2.6	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.141 N/A N/A 0.0	gr/b gr/b gr/b gr/b gr/b	i ne E hp-hr hp-hr hp-hr hp-hr	missio	-		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) Ionoxide) e Matter)	Emis 0.298 N/A N/A 2.6 0.014	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certifie 0.141 N/A N/A 0.0 0.007	gr/b gr/b gr/b gr/b gr/b gr/b	i ne E hp-hr hp-hr hp-hr hp-hr hp-hr	missio	-		
Crite NOx (Oxides of HC (Total Unb NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-M	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons)	Emis 0.298 N/A N/A 2.6 0.014 0.141	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certific 0.141 N/A N/A 0.0 0.007 0.029	gr/b gr/b gr/b gr/b gr/b gr/b	i ne E hp-hr hp-hr hp-hr hp-hr hp-hr	missio	-		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons) amily: PC	Emis 0.298 N/A N/A 2.6 0.014 0.141 N/A	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr	Certific 0.141 N/A N/A 0.0 0.007 0.029	gr/b gr/b gr/b gr/b gr/b gr/b	i ne E hp-hr hp-hr hp-hr hp-hr hp-hr	missio	-		
Crite NOx (Oxides of HC (Total Unbo NOx + HC (Co CO (Carbon M PM (Particulate NMHC (Non-Me NMHC + NOx EPA Engine Fa	eria Pollutant of Nitrogen as NO2) urned Hydrocarbons) mbined) lonoxide) e Matter) ethane Hydrocarbons) amily: PC e of Conformance: PC	Emis 0.298 N/A 2.6 0.014 0.141 N/A EXL06.7A	gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr gr/bhp-hr dr/bhp-hr	Certific 0.141 N/A N/A 0.0 0.007 0.029	gr/b gr/b gr/b gr/b gr/b gr/b	i ne E hp-hr hp-hr hp-hr hp-hr hp-hr	missio	-		

STATES LONG	CERTIFICATE	DDEL YEAR	MITY	OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105				
Certificate Issued To: Cummins Inc. (U.S. Manufacturer or Importer) Certificate Number: PCEXL06.7AAL-041		Effective Da 07/21/202 Expiration D 12/31/202	2 Date: Byron J, Bunke	er, Division Director ance Division	Issue Date: 07/21/2022 Revision Date: N/A			
Model Year: 2023 Manufacturer Type: Origina Engine Family: PCEXL06.7.	0		Mobile/Stationary Indicator: Both Emissions Power Category: 130<=kV Fuel Type: Diesel	W<=560				

After Treatment Devices: Diesel Oxidation Catalyst, Ammonia Slip Catalyst, Selective Catalytic

Non-after Treatment Devices: Electronic Control, Electronic/Electric EGR - Cooled

Pursuant to Section 111 and Section 213 of the Clean Air Act (42 U.S.C. sections 7411 and 7547) and 40 CFR Parts 60 and 1039, and subject to the terms and conditions prescribed in those provisions, this
certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more
fully described in the documentation required by 40 CFR Parts 60 and 1039 and produced in the stated model year.

Reduction

This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Parts 60 and 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Parts 60 and 1039.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void *ab initio* for other reasons specified in 40 CFR Parts 60 and 1039.

ENTAL PROTECT

This certificate does not cover engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2023	PCEXL06.7AAL	6.7	Diesel	8000				
SPECIA	L FEATURES & EMISSION		TYPICAL EQUIPMENT APPLICATION					
Cooler, Recircul	c Direct Injection, Turbo Electronic Control Moo ation, Diesel Oxidation ic Reduction – Urea, Ar Catalyst	dule, Exhaust Gas Catalyst, Selective	Generator Set					

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION				EXHAUST (g/kw-	OPACITY (%)					
CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK	
130 ≤ kW ≤ 560	Tier 4 Final	STD	0. <mark>1</mark> 9	0.40	N/A	3.5	0.02	N/A	N/A	N/A	
		CERT	0.04	0.19		0.00	0.01				

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this $\frac{17th}{1000}$ day of August 2022.

Jolin U. Lang

Robin U. Lang, Chief Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-002-0845

Attachment Last Revised:

Family: PCEXL06.7AAL

8/2/2022

Model QSB7-G9	Code									Displacement -		Peak Power -	Peak Power - F	Peak Power -	Peak Power - Peak Power - Fuel	Peak Torque -		Peak Torque -	Peak Torque - Fuel				
		Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Peak Torque - Fuel	Units	OBD	GHG	Special	Notes				
	OB1	31	16	6.7	Liters	274	horsepower	1500	192	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr		1	1					
QSB7	OB1		16	6.7	Liters	274	horsepower	1500	192	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7-G9	OB1		16	6.7	Liters	314	horsepower	1800	182	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7	OB1	1	16	6.7	Liters	314	horsepower	1800	182	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr		1	1					
QSB7-G9	OB2		16	6.7	Liters	274	horsepower	1500	192	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7	OB2		16	6.7	Liters	274	horsepower	1500	192	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7-G9	OB2	1	16	6.7	Liters	314	horsepower	1800	182	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7	OB2		16	6.7	Liters	314	horsepower	1800	182	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7-G8	OB3		16	6.7	Liters	222	horsepower	1500	146	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								
QSB7	OB3		16	6.7	Liters	222	horsepower	1500	146	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr			1					
QSB7-G8	OB3		16	6.7	Liters	241	horsepower	1800	135	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr			1					
QSB7	OB3		16	6.7	Liters	241	horsepower	1800	135	mm3/stroke	N/A	lb-ft	N/A	N/A	lb/hr								