



This bulletin is provided for technical reference and service related updates. If you have any questions, comments or do not wish to receive these e-mails, please reply to this e-mail or call the Service Technical Support Group 800 478-1244.

## Ride-On Trowels Fuel Consumption Chart

Trowel Model	Engine	Fuel Capacity	gal / hr @ full load
<i>STX55J6</i>	55 John Deere, Diesel Turbo	12 gal. (45 liters)	3.26 gal/hr (12.3 liters/hr)
<i>STX55Y6</i>	4TNV84T Yanmar Diesel Turbo	11 gal. (42 liters)	3.26 gal/hr (12.3 liters/hr)
<i>HTX44K4</i>	V1505-TE Kubota Diesel Turbo	11 gal. (42 liters)	2.36 gal/hr (8.9 liters/hr)
<i>HTX44Y5</i>	4TNV84T Yanmar Diesel Turbo	11 gal. (42 liters)	2.37 gal/hr (9.0 liters/hr)
<i>HHN31</i>	Briggs & Stratton 31 Vanguard	5 gal. (19 liters)	2.51 gal/hr (9.5 liters/hr)
<i>HHN34</i>	Vanguard Turbo Diesel	5 gal. (19 liters)	1.58 gal/hr (5.98 liters/hr)
<i>HTN31</i>	Briggs & Stratton 31 Vanguard	5 gal. (19 liters)	2.51 gal/hr (9.5 liters/hr)
<i>JTN20</i>	Honda GX620	2.2 gal. (8 liters)	1.50 gal/hr (5.7 liters/hr)
<i>JWN24</i>	Honda GX670	5 gal. (19 liters)	1.71 gal/hr (6.5 liters/hr)

## Walk Behind Trowels Fuel Consumption Chart

Trowel Model	Engine	Fuel Capacity	gal / hr @ full load
<i>CA4HC</i>	Honda GX120	0.66 gal. (2.5 liters)	0.26 gal/hr (1.0 liters/hr)
<i>M30H55</i>	Honda GX160	0.95 gal. (36 liters)	0.36 gal/hr (1.4 liters/hr)
<i>E45H</i>	Honda GX160	0.95 gal. (36 liters)	0.36 gal/hr (1.4 liters/hr)
<i>J36H55</i>	Honda GX160	0.95 gal. (36 liters)	0.36 gal/hr (1.4 liters/hr)
<i>J36R60</i>	Robin EX170	0.95 gal. (3.6 liters)	0.53 gal/hr (2.0 liters/hr)
<i>J36H90</i>	Honda GX270	1.59 gal. (6.0 liters)	0.66 gal/hr (2.5 liters/hr)
<i>J36R90</i>	Robin EX270	1.59 gal. (6.0 liters)	0.53 gal/hr (2.0 liters/hr)
<i>J36H90H</i>	Honda GX270	1.59 gal. (6.0 liters)	0.66 gal/hr (2.5 liters/hr)
<i>J36R90H</i>	Robin EX270	1.59 gal. (6.0 liters)	0.53 gal/hr (2.0 liters/hr)
<i>B46H90</i>	Honda GX270	1.59 gal. (6.0 liters)	0.66 gal/hr (2.5 liters/hr)
<i>B46R90</i>	Robin EX270	1.59 gal. (6.0 liters)	0.53 gal/hr (2.0 liters/hr)
<i>B46H11</i>	Honda GX340	1.72 gal. (6.5 liters)	0.79 gal/hr (3.0 liters/hr)
<i>B46H11H</i>	Honda GX340	1.72 gal. (6.5 liters)	0.79 gal/hr (3.0 liters/hr)
<i>HDA48411H</i>	Honda GX340	1.72 gal. (6.5 liters)	0.79 gal/hr (3.0 liters/hr)
<i>HDA48413H</i>	Honda GX390	1.72 gal. (6.5 liters)	0.98 gal/hr (3.71 liters/hr)

Data provided by engine manufactures. Actual gal/hr will vary depending on fuel quality, altitude, application, etc.