



TROWEL WEIGHTS AND PRESSURES

The below reference table provides the following information

- ✓ Trowel weight with handle
- ✓ Blade pressure in pounds per square foot (psf)
- ✓ Panning pressure in pounds per square foot (psf)
- ✓ Blade Pressure in pounds per square inch (psi)
- ✓ Panning Pressure in pounds per square inch (psi)

Note: Pan Weight Specifications

24" (10 lbs.) | 36" (40 lbs.) | 46" (65 lbs.) | 60" (108 lbs.)

WALK-BEHIND TROWELS

@ Flat (zero pitch)

Model	Dry Weight with Handle	Handle Options	Weight with Pan (lbs.)	Blade Pressure (psi)	Blade (psf)	Panning Pressure (psi)	Pan (psf)
CA4HM / CA5BM	145	QPHAFC	155	0.980	141.08	0.343	49.34
CA4HC / CA4BC	145	QPHAFC / STHAC	155	0.980	141.08	0.343	49.34
CA5BC	145	QPHAFC	155	0.980	141.08	0.343	49.34
J3036H55	168	SXH	208	0.435	62.69	0.204	29.43
J3036H55	180	QXH	220	0.466	67.16	0.216	31.12
J36E2	166	W/H	N/A	0.430	61.94	N/A	N/A
J36H55 / J36B65	183	SXH	223	0.474	68.28	0.219	31.55
J36H55 / J36B65	195	QXH	235	0.505	72.76	0.231	33.25
J36H55 / J36B65	183	SXHP	223	0.474	68.28	0.219	31.55
J36H55 / J36B65	195	QXHP	235	0.505	72.76	0.231	33.25
J36H90H	212	SXH	252	0.549	79.10	0.248	35.65
J36H90H	224	QXH/QXHP	264	0.580	83.58	0.259	37.35
J36H90H	212	SXHP	252	0.549	79.10	0.248	35.65
J36KDF	259	SXH	299	0.671	96.64	0.294	42.30
J36KDF	270	QXH	310	0.700	100.75	0.305	43.86
J36S60	190	SXH	230	0.492	70.90	0.226	32.54
J36S60	202	QXH	242	0.523	75.37	0.238	34.24
J36S60	190	SXHP	230	0.492	70.90	0.226	32.54
J36S60	202	QXHP	242	0.523	75.37	0.238	34.24
B46H90 / B46B90	265	SXH	330	0.541	77.94	0.199	34.24
B46H90 / B46B90	272	QXH	337	0.556	80.00	0.203	29.20
B46H90 / B46B90	265	SXHP	330	0.541	77.94	0.199	28.59
B46H90 / B46B90	272	QXHP	337	0.556	80.00	0.203	29.20
B46H11H	265	SXH/SXHP	330	0.541	77.94	0.199	28.59
B46H11H	275	QXH/QXHP	340	0.556	80.00	0.205	29.46
B46KDF	287	SXH	352	0.586	84.41	0.212	30.50
B46KDF	309	QXH	374	0.631	90.88	0.225	32.41
HDA48413H	340	SXHD	405	0.694	100.00	0.224	32.23
HDA48413H	352	QXHD	417	0.719	103.53	0.230	33.18

The information and specifications included in this publication were in effect at the time of approval for printing. Illustrations, descriptions, references and technical data contained in this document are for guidance only and may not be considered as binding. MultiQuip Inc. reserves the right to discontinue or change specifications, design or the information published in this publication at any time without notice and without incurring any obligations.

© COPYRIGHT 2026, MULTIQUIP INC, Rev. 8 (03042026)



TROWEL WEIGHTS AND PRESSURES

The below reference table provides the following information

- ✓ Trowel weight with handle
- ✓ Blade pressure in pounds per square foot (psf)
- ✓ Panning pressure in pounds per square foot (psf)
- ✓ Blade Pressure in pounds per square inch (psi)
- ✓ Panning Pressure in pounds per square inch (psi)

Note: Pan Weight Specifications

24" (10 lbs.) | 36" (40 lbs.) | 46" (65 lbs.) | 60" (108 lbs.) | 70" (172 lbs.)

Note: Dry-Weight of Dual Fuel Ride-On Trowel models includes empty LPG tank

RIDE-ON TROWELS

@ Flat (zero pitch)

Model	Dry Weight	Weight with Pans (lbs.)	Blade Pressure (psi)	Blade (psf)	Panning Pressure (psi)	Pan (psf)
PRX	3650	3650	N/A	N/A	0.645	92.88
STXDF	2600	2816	1.666	239.852	0.498	71.709
STXD6i	2363	2579	1.249	179.824	0.454	65.674
STX55Y	2349	2565	1.241	178.759	0.454	65.317
STX6H	2550	2766	1.348	194.055	0.489	70.436
HTXG6DF	2150	2280	1.377	198.339	0.630	90.718
HTXD6i	2275	2405	1.457	209.871	0.665	95.692
HTX6H	2275	2405	1.457	209.871	0.665	95.692
HTX-EHTX	1946	2076	1.330	191.49	0.625	89.94
HHXD5	1673	1803	1.143	164.62	0.542	78.11
HHXDF5	1440	1570	0.984	141.70	0.472	68.02
HHXG5	1599	1729	1.093	157.34	0.520	74.91
LD6	850	930	1.389	200.00	0.457	65.78
MD80	1516	1646	0.971	139.852	0.455	65.492
MD81	1840	1970	1.179	169.742	0.554	78.384
MD82	1785	1915	1.144	164.668	0.529	76.195
MD105	1830	2046	0.967	139.263	0.362	52.101
EHHNK5	1888	2018	1.290	185.78	0.607	87.43
HHNG5	1112	1242	0.760	109.42	0.374	53.81
HHN 34	1292	1422	0.883	127.13	0.428	61.61
HHN 31	1242	1372	0.849	122.21	0.379	54.59
HTO 31	1242	N/A	0.849	122.21	N/A	N/A
HTN 27	1060	1190	0.905	130.38	0.358	51.56
HTN 28	1060	1190	0.905	130.38	0.358	51.56
HTN 31	1200	1330	1.025	147.60	0.400	57.62
JTO	640	N/A	1.046	150.59	N/A	N/A
JWN 24	700	780	1.144	164.71	0.383	55.17
JTN 20	768	848	1.255	180.71	0.417	59.98

The information and specifications included in this publication were in effect at the time of approval for printing. Illustrations, descriptions, references and technical data contained in this document are for guidance only and may not be considered as binding. MultiQuip Inc. reserves the right to discontinue or change specifications, design or the information published in this publication at any time without notice and without incurring any obligations.